



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	
Aprilia							
50 AF - 1	87	415 - 122	12-40	588	11÷15	143	38•40•42•44
50 AF - 1 Europa - Futura	90>91	415 - 126	11-43	588	11÷15	8	40•43•44
50 AF - 1 Europa - Futura	92	415 - 126	11-43	589	11÷15	8	40•43•44
50 AF - 1 P.108 Replica	88>91	415 - 122	12-40	588	11÷15	8	40•43•44
50 AF - 1 Replica	92>93	415 - 122	12-40	589	11÷15	8	40•43•44
50 ETX Tuareg	87	415 - 122	12-44	588	11÷15	143	38•40•42•44
50 MX	04>	420 - 122	12-51	4038	10÷15	2056	51
50 Pegaso AE	92>96	415 - 122	13-45	589	11÷15	2011	40•42•45•51
50 Red Rose	87>91	415 - 118	12-42	588	11÷15	143	38•40•42•44
50 Red Rose Classic	92>95	415 - 130	12-46	589	11÷15	2010	46
50 Red Rose Classic	96>04	415 - 130	12-46	4020	12•13	2010	46
50 RS Extrema 3V	92>94	415 - 122	12-43	589	11÷15	8	40•43•44
50 RS Extrema 6V	95>98	415 - 120	12-44	4020	12•13	8	40•43•44
50 RS	99>05	420 - 122	12-47	4038	10÷15	2055	47
50 RS, RX, SM	07	420 -		4051 K	12÷14		
50 RX Rally	89>90	415 - 122	12-44	588	11÷15	143	38•40•42•44
50 RX Six Days	91	415 - 122	13-44	589	11÷15	240	44•46
50 RX - R AE 3V	92>94	415 - 122	13-45	589	11÷15	2011	40•42•45•51
50 RX 6V	95>98	415 - 126	12-51	4020	12•13	2011	40•42•45•51
50 RX	98>05	420 - 126	12-51	4038	10÷15	2056	51
50 Tuono	03>04	420 - 122	11-47	4038	10÷15	2055	47
50 Wind	88>90	415 - 122	12-44	588	11÷15	143	38•40•42•44
125 AF - 1 Replica	87>88	520 104	16-36	402 K	15•16	19 C	36÷38
125 AF - 1 Sintesi, Sport	88>90	520 106	16-37	394 K	13÷17	19 C	36÷38
125 AF - 1 Europa / Futura	90>93	520 106	16-38	394 K	13÷17	19 C	36÷38
125 Pegaso	90>96	520 104	14-40	394 K	13÷17	701 C	39÷43
125 Rally-RX	89	520 112	14-48	394 K	13÷17	245 C	38÷41•43÷45•47•48•51
125 Red Rose	89>98	520 110	14-41	394 K	13÷17	20 C	41
125 RS Extrema	93>99	520 - 106	16-39	394 K	13÷17	701 C	39÷43
125 RS Replica	93>04	520 - 108	14-39	394 K	13÷17	701 C	39÷43
125 RS	06>08	520 - 110	17-40	394 K	13÷17	2117 C 2058 EMD	40•44 40÷45
125 RX-R	90>92	520 - 112	14-49	394 K	13÷17	22 C	49
125 RX	93>98	520 - 114	17-49	394 K	13÷17	22 C	49
125 Tuareg	86>87	520 - 102	15-41	402 K	15•16	16 C	44
125 Tuareg (Disc brake)	87	520 - 110	15-45	402 K	15•16	18 C	38•39•43•45•46
125 Tuareg Rally	90>94	520 - 112	15-49	394 K	13÷17	22 C	49
125 Tuono	03>06	520 - 104	14-40	394 K	13÷17	701 C	39÷43
125 Wind	88	520 - 102	14-41	394 K	13÷17	16 C	44
125 Wind AE	89>90	520 - 104	14-40	394 K	13÷17	701 C	39÷43
250 RS	95>02	520 - 110	14-42	565 K	11÷16	2026 C	42
350 ETX Tuareg	85>87	520 - 104	15-46	402 K	15•16	18 C	38•39•43•45•46
350 ETX Tuareg Wind	88>89	520 - 104	16-45	1513 K	15•16	5 C	43÷45•47•49
450 RXV	06>07	520 - 120	15-48	4071K	12÷16	2110 EC 2110 ESM	48÷51 45÷47
450 SXV	06>07	520 - 120	15-46	4071K	12÷16	2110 ESM 2110 EC	45÷47 48÷51
550 RXV	06>07	520 - 120	15-48	4071K	12÷16	2110 EC 2110 ESM	48÷51 45÷47
550 SXV	06>07	520 - 120	16-46	4071K	12÷16	2110 ESM 2110 EC	45÷47 48÷51
600 ETX Tuareg	85>87	520 - 104	15-46	1513 K	15•16	18 C	38•39•43•45•46
600 Pegaso	90>92	520 - 106	16-43	1513 K	15•16	5 C	43÷45•47•49
600 Tuareg Wind	88>89	520 - 106	16-43	1513 K	15•16	5 C	43÷45•47•49
650 Motò	95>02	520 - 108	16-49	4015 K	16	5 C	43÷45•47•49
650 Pegaso	92>96	520 - 110	16-47	4015 K	16	5 C	43÷45•47•49
650 Pegaso	97>00	520 - 110	16-47	402 K	15•16	5 C	43÷45•47•49
650 Pegaso i.e.	01>04	520 - 110	16-47	402 K	15•16	5 C	43÷45•47•49
650 Pegaso Strada	05>06	520 - 110	15-44	308 K	14•15	2117 C 2058 EMD	40•44 40÷45
650 Pegaso Trial	07>08	520 - 110	15-44	308 K	14•15	2117 C 2058 EMD	40•44 40÷45
750 SL 750 SHIVER	07>08	525 - 108	16-44	4087 K	16	2119 C	44
850 MANA	08	525 - 100	18-40			2058 THF 2058 ED	40÷43 43
1000 ETV Caponord - ABS	01>	525 - 112	17-45	4040 K	16•17	2083 THF 2083 C	45 45
1000 RST Futura	01>	525 - 108	16-43	4040 K	16•17	2077 THF 2077 C	43 43
1000 RSV, SP, R	98>04	525 - 108	17-42	4040 K	16•17	2058 THF 2058 ED	40÷43 43
1000 RSV, SP, R #520		520 -		4040 KM	16•17	2058 EMD	40÷45
1000 RSV 1000 - Factory	04>05	525 - 106	16-40	4040 K	16•17	2058 THF	40÷43



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
						2058 ED	43
1000 RSV 1000 - Factory #520		520 -		4040 KM	16•17	2058 EMD	40÷45
1000 SL Falco	00>	525 - 106	16-41	4040 K	16•17	2058 THF 2058 ED	40÷43 43
						2058 EMD	40÷45
1000 SL Falco #520		520 -		4040 KM	16•17	2058 EMD	40÷45
1000 Tuono	02>	525 - 108	17-42	4040 K	16•17	2058 THF 2058 ED	40÷43 43
						2058 EMD	40÷45
1000 Tuono #520		520 -		4040 KM	16•17	2058 EMD	40÷45
1000 Tuono R	06>08	525 - 108	16-40	4040 K	16•17	2058 THF 2058 ED	40÷43 43
						2058 EMD	40÷45
1000 Tuono R #520		520 -		4040 KM	16•17	2058 EMD	40÷45

Benelli

900 Tornado	02>03	525 - 112	15-41	4060 KA	15•16	2096 THF	41
900 Tornado Tre - RS	03	525 - 112	15-41	4060 KA	15•16	2096 THF	41
1000 Tornado RS	04>05	525 - 112	15-41	4060 KA	15•16	2096 THF	41
1130 TNT, Café Racer	05>	525 - 110	16-36	4060 KA	15•16	2096 THF	41

Betamotor

50 RK6	94>98	428 130	12-56	1492	10÷12	2019 E	56
50 RR	98>99	428 126	12-56	1492	10÷12	2092 E	56
50 RR Enduro	02>03	420 -	11-51	4038	10÷15	2103 E	50÷53
50 RR Supermotard	02>03	420 -	11-50	4038	10÷15	2103 E	50÷53
50 RR	06	420 -	11-51	4038	10÷15	2112 E	49÷53
50 ST, ALP	98>99	428 122	10-56	1492	10÷12	2092 E	56
125 Alp	98>00	428 126	11-55	1492	10÷12	2019 E	56
125 Trial TR 33/34/35	85>90	428 136	12-56	1492	10÷12	1507 E	52•54•56
125 Zero	91>93	428 136	12-56	1492	10÷12	2019 E	56
240 Alp	89>95	520 - 100	10-42	4008 K	10•12•13	1511 E	39•40•42
240 Techno	97	520 - 100	11-42	4008 K	10•12•13	1494 E	40•43
240 Techno	98>	520 - 100	11-43	4008 K	10•12•13	1494 E	40•43
240 Trial TR 33/35	85>91	520 - 100	10-42	1493	10	1511 E	39•40•42
240 Zero Sup. TR	92>94	520 - 100	10-40	4008 K	10•12•13	1494 E	40•43
250 RR 250	05>06	520 - 118	14-52	1248 K 1248 KC	12÷15 12÷14	1509 EC 1509 C 1509 ESM	47÷52 50 38÷46
260 Zero/TR 35	90>91	520 - 100	10-43	4008 K	10•12•13	1494 E	40•43
260 Zero-Synt	92>94	520 - 100	10-40	4008 K	10•12•13	1494 E	40•43
350 Jonathan	01>	520 -	15-44	432 K 432 KC	11÷15 13÷15	5 C	43÷45•47•49
400 RR 400	06>	520 - 114	14-50	1248 K 1248 KC	12÷15 12÷14	1509 EC 1509 C 1509 ESM	47÷52 50 38÷46
450 RR 450	06>	520 - 114	14-50	1248 K 1248 KC	12÷15 12÷14	1509 EC 1509 C 1509 ESM	47÷52 50 38÷46
525 RR 525	05>	520 - 118	14-50	1248 K 1248 KC	12÷15 12÷14	1509 EC 1509 C 1509 ESM	47÷52 50 38÷46

BMW

650 F650	94>00	520 - 110	16-47	402 K	15•16	5 C	43÷45•47•49
650 F650GS	99>	520 - 112	16-47	402 K	15•16	5 C	43÷45•47•49

Cagiva

50 Cocis	88>89	415 - 124	13-50	209	11÷15•16	695	50
50 Cocis K3	90>93	428 - 124	14-50	708	13÷15	696	49•50
50 Prima 3V-6V	92>96	428 - 122	13-49	708	13÷15	696	49•50
50 Super City / W4	92>96	428 - 122	13-49	708	13÷15	696	49•50
75 Cocis	91>	428 - 126	14-50	708	13÷15	696	49•50
75 W4	92>93	428 - 124	15-49	708	13÷15	696	49•50
125 Aletta Rossa	83>87	428 - 122	16-45	710 K	15•16	1172	45
125 Aletta Oro	85>87	520 104	12-41	711 K	12÷14	13 C	39•41
125 Blues	87>95	520 112	14-39	711 K	12÷14	13 C	39•41
125 Elefant 1/2/3	84>88	428 - 122	16-45	710 K	15•16	1172	45
125 Freccia C9-C10	88>89	520 - 112	14-39	711 K	12÷14	13 C	39•41
125 Freccia C12-R	89>92	520 - 114	14-41	711 K	12÷14	13 C	39•41
125 K-7	89>92	520 - 114	13-44	711 K	12÷14	698 C	39•42•44•46
125 Mito	90>91	520 - 114	14-43	711 K	12÷14	701 C	39÷43
125 Mito Euro 2	04>06	520 - 114	14-43	711 K	12÷14	701 C	39÷43
125 Mito EV	92>	520 - 116	14-41	711 K	12÷14	701 C	39÷43
125 N1	97>98	520 - 116	14-43	711 K	12÷14	2042 C	43
125 Planet	98>00	520 - 116	14-43	711 K	12÷14	701 C	39÷43
125 Raptor	03>07	520 - 114	14-43	711 K	12÷14	701 C	39÷43



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model		Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
					T10-90-		T10-80-	
125	SST	84>87	428 136	16-45	710 K	15•16	1172	45
125	Super City	91>99	520 - 108	13-42	711 K	12÷14	701 C	39÷43
125	W8	92>96	520 - 108	13-44	711 K	12÷14	698 C	39•42•44•46
125	WMX	89>92	520 - 114	12-49	718 K	12•13	1509 EC 1509 C	47÷52 50
250	WMX	89>92	520 - 116	14-48	507 K	14•15	1509 EC 1509 C	47÷52 50
350	Ala Azzurra	85>88	530 - 108	15-47	725 K	15	1022 C	36•38•40•42•47
350	T4 E-R	87>91	520 - 110	16-42	728 K	15•16	828 C	42•47•48
350	W 12	93>96	520 - 110	16-46	728 K	15•16	698 C	39•42•44•46
500	Canyon	98>00	520 - 116	15-46	507 K	14•15	2049 C	45•46
500	T4 E-R	87>90	520 - 110	15-42	728 K	15•16	828 C	42•47•48
600	Canyon	96>99	520 - 112	15-45	728 K	15•16	2049 C	45•46
600	River	95>99	520 - 116	15-43	728 K	15•16	701 C	39÷43
600	W 16	95	520 - 112	16-44	728 K	15•16	698 C	39•42•44•46
600	W 16 (from 2G100001)	95>98	520 - 112	15-44	728 K	15•16	698 C	39•42•44•46
650	Elefant	86>87	530 - 106	15-44	725 K	15	718 C	46•48
650	Raptor / V-Raptor IE	01>07	525 - 108	15-45	520 K	15÷17	2087 THF 2087 C	45 45
750	Elefant Bifaro-Lucky Explorer	87>89	530 - 106	14-46	726 K	14	718 C	46•48
750	Elefant	93>97	530 - 108	15-46	4012 K	15	729 C	46•48
900	Canyon	98>00	525 - 108	15-45	4039 K	15	2054 C	41•43•45
900	Elefant Lucky Explorer	90	530 - 108	15-46	4002 K	15	729 C	46•48
900	Elefant IE - AC - GT	91>97	530 - 108	15-46	4013 K	15	729 C	46•48
1000	Navigator	01>	525 - 108	16-41	520 K	15÷17	2054 C	41•43•45
1000	Raptor, V-Raptor	00>	530 - 106	16-40	566 K	14÷17	2069 THF	40

Daelim

125	VC - S	95>99	428 - 126	14-43	259 K	14÷16	269	34•35•39•40÷43•47÷49•51
125	VL	00>03	428 - 146	14-42	259 K	14÷16	269	34•35•39•40÷43•47÷49•51
125	VS - VT	98>02	428 - 126	14-42	259 K	14÷16	269	34•35•39•40÷43•47÷49•51

Derbi

50	GPR R	98>99	420 - 134	13-52	4032	12÷14	2059	52
50	GPR R	00>02	420 - 134	12-52	4051 K	12÷14	2059	52
50	GPR R / Nude	04>08	420 - 134	12-53	4051 K	12÷14		
50	GPR Racing	04>08	420 - 134	12-53	4051 K	12÷14		
50	Senda L-R, SM	96>99	420 - 134	12-53	4032	12÷14	2035	48•50•52•53
50	Senda L-R, SM	00>04	420 - 134	13-53	4051 K	12÷14	2075 C	42•45•48•53
50	SM Racing	01	420 -	13-53	4032	12÷14	2035	48•50•52•53
50	SM X-treme	02	420 - 134	14-53	4051 K	12÷14	2075 C	42•45•48•53
50	X-treme	02	420 - 134	13-53	4051 K	12÷14	2075 C	42•45•48•53
125	Cross City	07>08	428 -	-50			2106 E	48•50•54•56•60•62
125	GPR	04>	428 - 130	16-	558 K	13÷18		
125	Mulhacen	08	428 -				2106 E	48•50•54•56•60•62
125	Senda R	05>	428 - 136	17-54	264 K	14÷16	2106 E	48•50•54•56•60•62
125	Senda SM	05>	428 - 136	14-50	264 K	14÷16	2106 E	48•50•54•56•60•62
125	Senda Baja SM	08	428 - 140	17-50	4036 K	15•17	2106 E	48•50•54•56•60•62
125	Senda Baja R Enduro	08	428 - 142	17-54	4036 K	15•17	2106 E	48•50•54•56•60•62
660	Mulhacen	06>	520 -				830 C	46

Ducati

350	F3	87>88	530 - 104	15-47	725 K	15	1022 C	36•38•40•42•47
350	Indiana	87>88	530 - 104	15-46	725 K	15	718 C	46•48
350	Sport-SS	92>94	520 - 100	14-45	4003 K	14	735 THF 735 C 735 E	36÷48 36÷48 38÷49
400	Monster	03>	520 - 102	14-46	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
400	Monster DK IE	05	520 -	15-48	4019 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
400	SS	92>95	520 - 98	14-43	4003 K	14	735 THF 735 C 735 E	36÷48 36÷48 38÷49
500	Pantah	82	530 - 94	15-38	492 K	15	1022 C	36•38•40•42•47
600	Monster	94	520 - 98	15-38	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
600	Monster	95>97	520 - 102	15-43	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
600	Monster Dark	98>02	520 - 102	15-46	736 K	14•15	735 THF	36÷48



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
						735 C	36÷48
						735 E	38÷49
600 Pantah	82	530 - 94	15-38	492 K	15	1022 C	36•38•40•42•47
600 SS	94	520 - 96	15-36	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
600 SS	95>98	520 - 98	15-41	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
620 Monster i.e	02>03	520 - 106	15-46	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
620 Monster-Monster Dark Single Disc	04	520 - 110	15-48	4019 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
620 Monster-Monster Dark Single Disc	05>06	520 - 110	15-48	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
620 Multistrada	06	520 -	15-48	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
695 Monster 695	07	520 - 106	15-48	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
695 Monster 695	07>	520 - 106	15-42	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
696 Monster 696	07>	520 -	-41			735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
748 SP	95>98	520 - 94	14-37	4019 K	14•15	2028 THF	37•38
						2028 ED	36÷42
748 Biposto	96>02	520 - 94	14-38	4019 K	14•15	2028 THF	37•38
						2028 ED	36÷42
748 748 S	00>02	520 - 94	14-38	4019 K	14•15	2028 THF	37•38
						2028 ED	36÷42
749 749 R	04>	525 - 96	15-35	4054 K	14•15	2091 THF	35÷42
						2091 ED	36÷42
749 R #520		520 -		4054 KM	14÷16	2091 EMD	36÷42
749 749 S	03>	525 - 98	15-39	4054 K	14•15	2091 THF	35÷42
						2091 ED	36÷42
749 S #520		520 -		4054 KM	14÷16	2091 EMD	36÷42
749 749	03>04	525 - 98	14-39	4054 K	14•15	2091 THF	35÷42
						2091 ED	36÷42
749 #520		520 -		4054 KM	14÷16	2091 EMD	36÷42
749 749 Dark Europa	04>05	525 - 98	14-39	4054 K	14•15	2091 THF	35÷42
						2091 ED	36÷42
749 Dark Europa #520		520 -		4054 KM	14÷16	2091 EMD	36÷42
749 749 S	04	525 - 98	14-39	4054 K	14•15	2091 THF	35÷42
						2091 ED	36÷42
749 S #520		520 -		4054 KM	14÷16	2091 EMD	36÷42
750 750 Sport/Supersport i.e.	01>02	520 - 98	15-40	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
750 F1	84	530 - 98	15-38	725 K	15	1022 C	36•38•40•42•47
750 F1	85>87	530 - 98	15-38	497 K	14•15	1022 C	36•38•40•42•47
750 F1	88	530 - 98	15-40	497 K	14•15	1022 C	36•38•40•42•47
750 Indiana	87>90	530 - 104	14-46	726 K	14	718 C	46•48
750 Monster	96>98	520 - 98	15-38	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
750 Monster i.e	99>02	520 - 100	15-41	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
750 Montjuich	87	520 - 98	14-40	494 K	14•15	491 C	38•40
750 Paso	87>90	520 - 110	15-38	495 K	15	491 C	38•40
750 Santa Monica	88	520 - 110	15-38	494 K	14•15	491 C	38•40
750 SS	79	530 - 104	15-36	493 K	15•16	1022 C	36•38•40•42•47
750 SS / Desmo 2	91>97	520 - 96	15-37	736 K	14•15	735 THF	36÷48
						735 C	36÷48
						735 E	38÷49
800 Monster S. i.e. Monster Dark	03>04	520 - 102	15-42	736 K	14•15	735 THF	36÷48
						735 C	36÷48



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>		Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
					T10-90-		T10-80-	
800	SS	03>05	520 - 98	15-39	4019 K	14•15	735 E	38÷49
800	Monster i.e.	04	520 - 98	15-39	4019 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
800	Sport	03	520 - 98	15-39	4019 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
800	Monster S2R - Monster S2R Dark	04>	520 - 104	15-41	736 K	14•15	2028 THF 2028 ED	37•38 36÷42
848	848	08	525 -	15-39	4054 K	14•15	2099 ED 2099 THF	40÷42•43•44 41
851	S.P.	88>89	520 - 98	15-38	736 K	14•15	491 C	38•40
851	S.P.	90	520 - 98	15-39	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
851	S.P.	91	520 - 96	15-37	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
851	Strada	90>91	520 - 98	15-39	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
888	S.P. - S.P. - S	92>93	520 - 96	15-36	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
900	Monster	93>99	520 - 98	15-39	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
900	Monster i.e	00>02	520 - 98	15-38	4041 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
900	SD Darmah	79	530 - 106	16-36	493 K	15•16	1022 C	36•38•40•42•47
900	Sport/Supersport i.e	99>02	520 - 96	15-40	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
900	SS	79>88	530 - 104	15-36	493 K	15•16	1022 C	36•38•40•42•47
900	SS	89>90	520 - 98	15-39	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
900	SS, Superlight	91>98	520 - 96	15-37	736 K	14•15	735 THF 735 C 735 E	36÷48 36÷48 38÷49
906	Paso	89	520 - 108	15-40	736 K	14•15	491 C	38•40
906	Paso	90	520 - 106	15-38	736 K	14•15	491 C	38•40
916	S.P. - Mono - Biposto	94>98	525 - 94	15-36	4014 K	14•15	2027 THF 2027 ED	36÷38•42 36÷40
	S.P. - Mono - Biposto #520		520 -		4019 K	14•15	2028 THF 2028 ED	37•38 36÷42
944	ST 2	99>03	525 - 102	15-42	4014 K	14•15	2041 THF 2041 ED	35•37÷43 37÷43
944	ST 4	98>03	525 - 102	15-43	4014 K	14•15	2041 THF 2041 ED	35•37÷43 37÷43
944	ST 4 S - ABS	04>06	525 - 100	15-38	4014 K	14•15	2041 THF 2041 ED	35•37÷43 37÷43
996	Monster S4R Europa	03>06	525 - 104	15-42	4014 K	14•15	2099 ED 2099 THF	40÷42•43•44 41
996	996 R-RII-S	01>02	525 - 94	15-36	4054 K	14•15	2027 THF 2027 ED	36÷38•42 36÷40
	996 R-RII-S #520		520 -		4054 KM	14÷16	2028 THF 2028 ED	37•38 36÷42
996	Strada	99>01	525 - 94	15-36	4014 K	14•15	2027 THF 2027 ED	36÷38•42 36÷40
	Strada #520	99>01	520 -		4019 K	14•15	2028 THF 2028 ED	37•38 36÷42
998	998 - 998 Matrix	02>04	525 - 94	15-36	4054 K	14•15	2027 THF 2027 ED	36÷38•42 36÷40
	998 #520 - 998 Matrix #520		520 -		4054 KM	14÷16	2028 THF 2028 ED	37•38 36÷42
998	Monster S4RS	06>08	525 -	15-43	4054 K	14•15	2099 ED	40÷42•43•44
998	Monster S4R Testastretta	08	525 - 104	15-43	4054 K	14•15	2027 THF 2027 ED	36÷38•42 36÷40
	998 #520 - 998 Matrix #520		520 -		4054 KM	14÷16	2028 THF	37•38



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
						2028 ED	36÷42
999 999 - R - S - Xerox	03>06	525 - 96	15-36	4054 K	14•15	2091 THF 2091 ED	35÷42 36÷42
999 - R - S #520		520 -		4054 KM	14÷16	2091 EMD	36÷42
1000 DS Multistrada	03>	525 - 104	15-42	4054 K	14•15	2099 ED 2099 THF	40÷42•43•44 41
1000 Multistrada S	06	525 - 102	15-42	4054 K	14•15	2099 ED 2099 THF	40÷42•43•44 41
1000 Monster- S Europa	02>	525 - 100	15-39	4054 K	14•15	2041 THF 2041 ED	35•37÷43 37÷43
Monster #520 - S Europa #520		520 -		4054 KM	14÷16	735 THF 735 C 735 E	36÷48 36÷48 38÷49
1000 Monster S2R	06>08	525 - 104	15-41	4054 K	14•15	2099 ED 2099 THF	40÷42•43•44 41
1000 Monster S4R	03>	525 - 104	15-42	4014 K	14•15	2099 ED 2099 THF	40÷42•43•44 41
1000 Paul Smart	06	525 - 100	15-38	4054 K	14•15	2041 THF 2041 ED	35•37÷43 37÷43
1000 GT	06>08	525 - 100	15-38	4054 K	14•15	2041 THF 2041 ED	35•37÷43 37÷43
1000 Sport S	08	525 -	-39			2041 THF 2041 ED	35•37÷43 37÷43
1000 SS Europa	03>	525 - 96	15-38	4054 K	14•15	2041 THF 2041 ED	35•37÷43 37÷43
SS Europa #520		520 -		4054 KM	14÷16	735 THF 735 C 735 E	36÷48 36÷48 38÷49
1000 ST3 Europa	04>07	525 - 102	15-42	4054 K	14•15	2041 THF 2041 ED	35•37÷43 37÷43
ST3 Europa #520		520 -		4054 KM	14÷16	735 THF 735 C 735 E	36÷48 36÷48 38÷49
1098 1098 / 1098 S	07>08	525 - 98	15-38	4054 K	14•15	2115 THF 2115 ED	38÷39 38÷39
1098 / 1098 S #520		520 -		4054 KM	14÷16	2115 EMD	38÷39
1100 Multistrada S	07>08	525 - 104	15-42	4054 K	14•15	2099 ED 2099 THF	40÷42•43•44 41
1100 Hypermotard	07>08	525 - 110	15-42	4054 K	14•15	2099 ED 2099 THF	40÷42•43•44 41

Gas Gas

50 Rookie	00>	420 - 126	12-52	4032	12÷14	2035	48•50•52•53
125 EC	00>01	520 - 118	13-52	4048 K	12÷13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
125 EC	03>08	520 - 112	13-48	4048 K	12÷13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
125 Pampera	00>01	520 - 100	10-44	4047 K	10•11	2074 E	40•41•44
125 TXT	00>01	520 - 102	10-44	4047 K	10•11	2074 E	40•41•44
200 EC	00>01	520 - 116	13-51	4048 K	12÷13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
200 TXT	00>01	520 - 100	10-44	4047 K	10•11	2074 E	40•41•44
249 TXT	00>01	520 - 100	11-41	4047 K	10•11	2074 E	40•41•44
250 EC	00	520 - 116	13-47	4048 K	12÷13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 EC	01>08	520 - 112	13-48	4048 K	12÷13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 Pampera	00>01	520 - 118	12-40	4047 K	10•11	2074 E	40•41•44
280 TXT	00>01	520 - 100	11-41	4047 K	10•11	2074 E	40•41•44
300 EC	00	520 - 116	13-47	4048 K	12÷13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
300 EC	01>08	520 - 114	13-48	4048 K	12÷13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
321 TXT	00>01	520 - 100	11-41	4047 K	10•11	2074 E	40•41•44
400 EC 400 FSE	02>	520 - 118	13-48	4048 K	12÷13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	
400 SM 400 FSE	02>	520 - 114	13-42	4048 K	12÷13	1509 ESM	38÷46
450 EC 450 FSE	03>06	520 - 118	13-48	4048 K	12÷13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
450 SM 450 FSE	03 >04	520 - 114	13-42	4048 K	12÷13	1509 ESM	38÷46

Gilera

50 GSM, H@K, R, RK	97>00	420 - 130	12-46	4052 K	12	2076 C	46•52
50 RC-Top Rally	90>91	415 - 120	13-40	599	13÷15	2011	40•42•45•51
50 RCR	03	420	12-52	4051 K	12÷14	2075 C	42•45•48•53
50 Sioux	91>94	415 - 122	13-45	599	13÷15	2011	40•42•45•51
50 STM	03	420	14-52	4051 K	12÷14	2075 C	42•45•48•53
125 Crono	91>94	520 - 106	14-40	605 K	14	604 C	35•36•40
125 KK-KZ	86>89	428 - 126	16-46	601 K	16	485	46•54
125 MX-1, MX-R	88>92	520 - 104	13-38	603 K	13	604 C	35•36•40
125 R1, R1-S	88>89	520 - 110	13-44	603 K	13	5 C	43÷45•47•49
125 RC Top Rally	90>93	520 - 114	13-43	603 K	13	606 C	43
125 SP-01, SP-02	88>92	520 - 104	14-38	605 K	14	604 C	35•36•40
125 XR-1, XR-2	88>93	520 - 106	13-44	603 K	13	16 C	44
200 RV	86>88	520 - 104	13-41	603 K	13	13 C	39•41
350 ER, Dakota	85>89	520 - 112	14-51	609 K	14	610 C	51
600 Nord West	91>94	520 - 108	14-43	609 K	14	611 C	43
600 RC	89>94	520 - 106	14-43	609 K	14	245 C	38÷41•43÷45•47•48•51
600 RC-R	91>94	520 - 112	14-52	609 K	14	2015 EC 2015 C	47÷53 46•48÷50•52
600 Saturno	91>93	520 - 106	14-43	609 K	14	5 C	43÷45•47•49
600 XR-T	88>89	520 - 106	14-43	609 K	14	5 C	43÷45•47•49

Hm Motor

50 CR-E	95>00	428 - 132	12-56	4035 K	11÷13	2047 E	56•58
50 CR-E	01>03	428 - 132	12-56	4035 K	11÷13	2085 E	56•58•62
50 CRE Derapage	>00	428 - 132	13-56	4035 K	11÷13	2047 E	56•58
50 CRE Derapage	01>03	428 - 132	13-56	4035 K	11÷13	2085 E	56•58•62
50 CRE Derapage	04	428 - 132	12-62	4066 K	10•12•14	2106 E	48•50•54•56•60•62
125 CRE	93>00	520 - 114	13-49	326 K 326 KC	11÷14 12•13	210 EC 210 C	47÷54 43•45•48÷53
250 CRE	97>01	520 - 114	13-47	284 K 284 KC	12÷15 13÷15	210 EC 210 ESM 210 C 210 SPE	47÷54 40÷46 43•45•48÷53 Flangia corona - Spacer 3 mm
250 CRE	02>	520 - 114	13-50	284 K 284 KC	12÷15 13÷15	210 EC 210 ESM 210 C 210 SPE	47÷54 40÷46 43•45•48÷53 Flangia corona - Spacer 3 mm
250 CRF 250 E	05	520 - 116	13-51	4063 K 4063 KC	12÷14 12÷14	210 EC 210 ESM 210 C 210 SPE	47÷54 40÷46 43•45•48÷53 Flangia corona - Spacer 3 mm
290 CRE F290X I	07	520 -	13-53	4063 K 4063 KC	12÷14 12÷14	210 EC 210 ESM 210 C 210 SPE	47÷54 40÷46 43•45•48÷53 Flangia corona - Spacer 3 mm
450 CRF 450 E	05	520 - 114	13-48	284 K 284 KC	12÷15 13÷15	210 EC 210 ESM 210 C 210 SPE	47÷54 40÷46 43•45•48÷53 Flangia corona - Spacer 3 mm
500 CRE	97>00	520 - 114	14-47	284 K 284 KC	12÷15 13÷15	210 EC 210 C	47÷54 43•45•48÷53

Honda

50 C 50 ZZ/Z2	78>82	420 - 98	13-40	4009	12÷16	257	36•40•41
50 C 50 LAC/LAE/LAG	84>88	420 - 98	13-40	4009	12÷16	257	36•40•41
50 CB 50 J	78>81	420 - 104	13-42	253	12÷15	256	35•38•41÷43
50 CF 50 Chaly	79>96	420 - 88	14-38	253	12÷15	256	35•38•41÷43
50 CRM 50 R	93>94	420 - 106	13-47	4009	12÷16	239	36•38•40•42•45•47
50 Cub	82>85	420 - 98	12-40	4009	12÷16	257	36•40•41
50 MB 50 S (A)	80>82	420 - 108	12-45	4009	12÷16	239	36•38•40•42•45•47
50 MBX 50 S (D,F)	84>86	420 - 108	12-45	4009	12÷16	239	36•38•40•42•45•47
50 MT 50 S (A,L)	80>93	420 - 108	13-45	4009	12÷16	239	36•38•40•42•45•47
50 MTX 50 S (C, E)	83>85	420 - 122	12-47	4009	12÷16	239	36•38•40•42•45•47
50 MTX 50 Automatique	84>90	420 - 116	14-36	251	14•15	239	36•38•40•42•45•47
50 NSR 50 S (K > R)	89>94	420 - 124	13-45	4009	12÷16	213	37•41•43•45•47
50 NSR 50 (France)	98>99	420 -	12-41	4009	12÷16	213	37•41•43•45•47
50 SS 50 Z/K1/Z B2	78>80	420 - 98	13-42	4009	12÷16	256	35•38•41÷43



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	
50 ST 50 Dax (L)	90	420 - 88	15-38	253	12÷15	256	35•38•41÷43
50 ST 50 K3 (J > P)	88>93	420 - 96	14-41	253	12÷15	256	35•38•41÷43
50 Z 50 A Monkey		420 - 78	13-35	4009	12÷16	255	35
70 CF 70 Chaly	78>85	420 - 88	14-35	253	12÷15	256	35•38•41÷43
70 ST DAX France	83>98	420 - 86	15-35	253	12÷15	256	35•38•41÷43
75 MBX 75	84	420 - 116	15-36	253	12÷15	239	36•38•40•42•45•47
75 MTX 75	87	420 - 122	15-47	253	12÷15	239	36•38•40•42•45•47
75 NSR 75	90	420 - 116	15-36	253	12÷15	216	36
75 NS1 75	92>93	420 - 128	16-37	249	16	213	37•41•43•45•47
80 CR 80 - R	86>03	420 - 114	15-49	273	13÷16	2064 C	47•49•55
				273 KC	15	2064 E	47÷57
				4085 K	15	2118 E	49÷51•53•55÷57
80 CR 80 - R Big Wheels	86>03	420 - 114	15-55	273	13÷16	2064 C	47•49•55
				273 KC	15	2064 E	47÷57
				4085 K	15	2118 E	49÷51•53•55÷57
80 MB 80 S (A)	80>83	420 - 106	15-40	253	12÷15	239	36•38•40•42•45•47
80 MBX 80 SW-SW2	83>87	420 - 116	15-36	253	12÷15	239	36•38•40•42•45•47
80 MT 80 S (A)	80	420 - 104	15-38	253	12÷15	239	36•38•40•42•45•47
80 MTX 80 RS (C, D, E)	83>86	420 - 122	15-42	253	12÷15	239	36•38•40•42•45•47
85 CR 85 - R	03>06	420 - 116	13-49	273	13÷16	2064 E	47÷57
				273 KC	15	2064 C	47•49•55
				4085 K	15	2118 E	49÷51•53•55÷57
85 CR 85 - R Big Wheels	03>06	420 - 116	15-55	273	13÷16	2064 E	47÷57
				273 KC	15	2064 C	47•49•55
				4085 K	15	2118 E	49÷51•53•55÷57
85 CR 85 - R Expert	07	420 - 116	15-49	273	13÷16	2064 E	47÷57
				273 KC	15	2064 C	47•49•55
				4085 K	15	2118 E	49÷51•53•55÷57
90 C 90 E/MF/MG/MP Cub	84>98	420 - 98	15-39	253	12÷15	211	39
100 CB 100 N/NA	78>86	428 - 100	14-37	259 K	14÷16	269	34•35•39•40÷43•47•49•51
100 CRF	04>07	428 - 118	14-50	274 K	14•15	2063	50
100 H 100 A/S	84>93	428 - 106	15-34	274 K	14•15	269	34•35•39•40÷43•47•49•51
100 XL 100 S	78>82	428 - 118	15-43	274 K	14•15	269	34•35•39•40÷43•47•49•51
100 XR 100 R	85>06	428 - 118	14-50	274 K	14•15	2063	50
125 CA 125 Rebel (S > W)	95>01	520 112	13-39	329 K	11÷13	2034 C	39•41•44
125 CB 125 T/TA/TB/TZ	78>82	428 - 112	15-39	259 K	14÷16	269	34•35•39•40÷43•47•49•51
125 CB 125 TD	82>88	428 - 122	15-42	259 K	14÷16	269	34•35•39•40÷43•47•49•51
125 CB 125 J/R	83>96	428 - 108	15-37	259 K	14÷16	269	34•35•39•40÷43•47•49•51
125 CBR 125 R	04>07	428 - 124	15-42	4036 K	15•17	2107 E	42
125 CBX 125	79>82	428 - 104	15-37	259 K	14÷16	269	34•35•39•40÷43•47•49•51
125 CD 125 TC Benly	82>85	428 - 116	15-42	259 K	14÷16	269	34•35•39•40÷43•47•49•51
125 CG 125 A/B/C/E/K1	77>85	428 - 98	14-34	259 K	14÷16	269	34•35•39•40÷43•47•49•51
125 CG 125 F/K (Brazil)	85>98	428 - 114	14-41	259 K	14÷16	269	34•35•39•40÷43•47•49•51
125 CG 125 K	98>00	428 - 112	15-36	259 K	14÷16	269	34•35•39•40÷43•47•49•51
125 CLR 125 Cityfly	98>00	428 - 128	17-50	4036 K	15•17	271	50
125 CM 125 CC/CF	82>97	428 - 120	15-43	259 K	14÷16	269	34•35•39•40÷43•47•49•51
125 CR 125	'01	520 - 114	13-52	326 K	11÷14	210 EC	47÷54
				326 KC	12•13	210 ESM	40÷46
						210 C	43•45•48÷53
125 CR 125 R (H > T)	87>96	520 - 114	13-51	326 K	11÷14	210 EC	47÷54
				326 KC	12•13	210 C	43•45•48÷53
125 CR 125 R (V)	97	520 - 112	12-49	326 K	11÷14	210 EC	47÷54
				326 KC	12•13	210 C	43•45•48÷53
125 CR 125 R (W, X)	98>99	520 - 114	13-51	326 K	11÷14	210 EC	47÷54
				326 KC	12•13	210 C	43•45•48÷53
125 CR 125 R	00>01	520 - 116	13-52	326 K	11÷14	210 EC	47÷54
				326 KC	12•13	210 ESM	40÷46
						210 C	43•45•48÷53
125 CR 125 R	02	520 - 114	13-51	326 K	11÷14	210 EC	47÷54
				326 KC	12•13	210 ESM	40÷46
						210 C	43•45•48÷53
125 CR 125 R	03	520 - 116	13-52	326 K	11÷14	210 EC	47÷54
				326 KC	12•13	210 ESM	40÷46
						210 C	43•45•48÷53
125 CR 125 R	04>07	520 - 116	13-53	4063 K	12÷14	210 EC	47÷54
				4063 KC	12÷14	210 ESM	40÷46
						210 C	43•45•48÷53
125 CR 125 MOTARD	06	520 - 116	13-40	4063 K	12÷14	210 ESM	40÷46
				4063 KC	12÷14	210 EC	47÷54
125 CRM 125 R (L > X)	90>99	520 - 106	14-40	327 K	12÷14	604 C	35•36•40
125 CT 125 C	82>84	428 - 120	15-51	259 K	14÷16	269	34•35•39•40÷43•47•49•51
125 MBX 125 F (E)	84>86	520 - 106	13-39	329 K	11÷13	279 C	31•32•33•35•39•40
125 MTX 125 R	86>94	520 - 106	13-40	329 K	11÷13	279 C	31•32•33•35•39•40
125 MTX 125 RW	83>94	428 - 130	15-53	259 K	14÷16	241	45•53



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model		Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
					T10-90-		T10-80-	
125	NS 125 F/R	85>90	520 - 106	13-35	329 K	11÷13	279 C	31•32•33•35•39•40
125	NSR 125 F-Fil	89>92	520 - 106	13-35	329 K	11÷13	604 C	35•36•40
125	NSR 125 R (K > N)	89>93	520 - 108	13-35	327 K	12÷14	604 C	35•36•40
125	NSR 125 R/F (P > X)	94>99	520 - 108	14-36	327 K	12÷14	604 C	35•36•40
125	NSR 125 R	00>01	520 - 110	14-38	327 K	12÷14	604 C	35•36•40
125	NX 125 (K > X)	89>99	428 - 128	16-50	259 K	14÷16	271	50
125	SL 125 K1A-K2A	76>80	428 - 118	15-47	259 K	14÷16	269	34•35•39•40÷43•47÷49•51
125	VT 125 C Shadow	99>06	520 - 112	14-41	327 K	12÷14	2034 C	39•41•44
125	XL 125 S2	79>83	428 - 118	14-51	259 K	14÷16	269	34•35•39•40÷43•47÷49•51
125	XL 125 R Prolink	82>87	428 - 128	14-53	259 K	14÷16	242	53
125	XL 125 (J)	88	428 - 128	16-47	259 K	14÷16	269	34•35•39•40÷43•47÷49•51
125	XL 125 R Paris-Dakar	84>97	428 - 128	16-50	259 K	14÷16	271	50
125	XL 125 V Varadero	01>07	520 - 112	14-44	327 K	12÷14	2034 C	39•41•44
125	XLR 125 R	98>01	428 - 130	17-51	4036 K	15•17	2048	51
							2048 E	54
125	XLR 125 R	04>05	428 - 132	17-54	4036 K	15•17	2048 E	54
							2048	51
125	XR 125 L	04>07	428 - 136	17-54	4036 K	15•17	2048 E	54
							2048	51
150	CRF 150 F	03>05	520 - 112	13-48	327 K	12÷14	210 EC	47÷54
							210 ESM	40÷46
							210 C	43•45•48÷53
150	CRF 150 F	06>08	520 - 112	13-47	327 K	12÷14	210 EC	47÷54
							210 ESM	40÷46
							210 C	43•45•48÷53
150	CRF 150 R	07>08	420 - 126	15-56	4081 K	15	2064 E	47÷57
							2064 C	47•49•55
	CRF 150 R #428		428 -		4084 K	15	2118 E	49÷51•53•55÷57
150	CRF 150 R2	07>08	420 - 120	15-50	4081 K	15	2064 E	47÷57
							2064 C	47•49•55
	CRF 150 R2 #428		428 -		4084 K	15	2118 E	49÷51•53•55÷57
185	XL 185 S	80>93	428 - 120	14-49	259 K	14÷16	269	34•35•39•40÷43•47÷49•51
200	CB 200	76>79	520 - 94	15-35	275 K	13÷15	279 C	31•32•33•35•39•40
200	CD 200 TB Benly	79>85	428 - 112	15-34	263 K	14÷16	269	34•35•39•40÷43•47÷49•51
200	CM 200 TA/TB Custom	81>84	428 - 112	15-35	259 K	14÷16	269	34•35•39•40÷43•47÷49•51
200	MTX 200 RW	83>86	520 - 104	13-42	329 K	11÷13	243	42
200	XL 200 R Paris-Dakar	84>90	520 - 108	13-41	328 K	13	277 C	41
230	CRF 230 F	03>08	520 - 114	13-50	327 K	12÷14	210 EC	47÷54
							210 ESM	40÷46
							210 C	43•45•48÷53
							210 SPE	Flangia corona - Spacer 3 mm
250	CB 250 N/NA/T	78>82	530 - 102	15-41	278 K	14÷16	246 C	36•41
250	CB 250 N (B, C, D)	81>83	520 - 102	15-41	276 K	15•16	247 C	35•36•41
250	CB 250 Nighthawk (M > X)	91>	520 - 108	14-31	270 K	14	279 C	31•32•33•35•39•40
250	CB 250 Nighthawk	07>08	520 - 106	14-33	270 K	14	279 C	31•32•33•35•39•40
250	CB 250 RS (A)	80>83	520 - 98	14-44	281 K	14•15	248 C	44
250	CB 250 RS	82>84	520 - 100	14-45	281 K	14•15	245 C	38÷41•43÷45•47•48•51
250	CB 250 R	95>96	520 - 104	14-31	270 K	14	279 C	31•32•33•35•39•40
250	CBX 250 RS (E)	84>86	520 - 100	15-35	276 K	15•16	247 C	35•36•41
250	CD 250 U (J)	88>94	520 - 98	14-32	287 K	14	279 C	31•32•33•35•39•40
250	CJ 250 T (2 Cyl)	77>79	530 - 100	16-38	278 K	14÷16	278 C	38
250	CL 250 S (C)	82>84	520 - 106	15-51	281 K	14•15	245 C	38÷41•43÷45•47•48•51
250	CM 250 T (B) Custom	82>84	520 - 104	15-41	276 K	15•16	247 C	35•36•41
250	CM 250 (C, D)	83>85	520 - 94	14-39	270 K	14	279 C	31•32•33•35•39•40
250	CM 250 (X)	99	520 - 108	14-39	270 K	14	2034 C	39•41•44
250	CMX 250 Rebel	88	520 - 108	14-33	270 K	14	279 C	31•32•33•35•39•40
250	CMX 250 C Rebel (T > X)	96>99	520 - 104	14-31	270 K	14	279 C	31•32•33•35•39•40
250	CR 250 R	88>89	520 - 116	14-51	284 K	12÷15	210 EC	47÷54
					284 KC	13÷15	210 C	43•45•48÷53
250	CR 250 R (L, M)	90>91	520 - 116	14-53	284 K	12÷15	210 EC	47÷54
					284 KC	13÷15	210 C	43•45•48÷53
250	CR 250 R (N > S)	92>95	520 - 114	13-49	284 K	12÷15	210 EC	47÷54
					284 KC	13÷15	210 C	43•45•48÷53
250	CR 250 R (T > X)	96>01	520 - 114	13-50	284 K	12÷15	210 EC	47÷54
					284 KC	13÷15	210 ESM	40÷46
							210 C	43•45•48÷53
							210 SPE	Spacer3mm.
250	CR 250 R	02>08	520 - 114	13-50	284 K	12÷15	210 EC	47÷54
					284 KC	13÷15	210 ESM	40÷46
							210 C	43•45•48÷53
							210 SPE	Spacer3mm.
250	CRF 250 R 4T	04>08	520 - 116	13-51	4063 K	12÷14	210 EC	47÷54
					4063 KC	12÷14	210 ESM	40÷46
							210 C	43•45•48÷53



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
250 CRF 250 X 4T	04>08	520 - 114	13-49	4063 K 4063 KC	12÷14 12÷14	210 SPE 210 EC 210 ESM 210 C 210 SPE	Spacer3mm. 47÷54 40÷46 43•45•48÷53 Spacer3mm.
250 NX 250 (J, K, L, L2, P2)	88>93	520 - 102	13-41	4005 K	13	245 C	38÷41•43÷45•47•48•51
250 XL 250 S (Z, A, B)	78>82	520 - 102	14-53	281 K	14•15	245 C	38÷41•43÷45•47•48•51
250 XL 250 R (C)	82>84	520 - 102	14-47	281 K	14•15	245 C	38÷41•43÷45•47•48•51
250 XR 250 R (M>W)	91>97	520 - 108	13-48	4017 K	13	301 E 301 C	46•48•50 46•48•50
250 XR 250 R	88>89	520 - 108	13-48	327 K	12÷14	210 EC 210 C	47÷54 43•45•48÷53
250 XR 250 R	95>96	520 - 112	13-48	327 K	12÷14	210 EC 210 C	47÷54 43•45•48÷53
250 XR 250 R	97>04	520 - 106	13-48	4053 K	12÷14	210 EC 210 ESM 210 C 210 SPE	47÷54 40÷46 43•45•48÷53 Spacer3mm.
350 CB 350 S (G)	86>88	525 - 108	16-36	291 K	15•16	332 C	36•37•44
350 XL 350 R (F, G, H) ND03	85>87	520 - 102	14-38	287 K	14	245 C	38÷41•43÷45•47•48•51
400 CB 400 T/N/Auto	78>81	530 - 100	16-36	278 K	14÷16	246 C	36•41
400 CB 400 N (B, C, D)	81>85	520 - 100	16-36	276 K	15•16	247 C	35•36•41
400 CB 400 F, FK (CB1)	89>90	525 - 104	15-41	297 K	15	318 C	41
400 CB 400 F, FM, FM2 (CB1)	91	525 - 104	15-37	297 K	15	332 C	36•37•44
400 CBR 400 FE-F2E	84	525 - 106	15-44	291 K	15•16	332 C	36•37•44
400 CBR 400 RG, RH Aero NC23	86	525 - 108	15-44	294 K	14•15	332 C	36•37•44
400 CBR 400 R, RL Gullarm NC29	90	525 - 102	15-39	297 K	15	2040 C	39
400 CBX 400 F-F2	82>83	530 - 104	15-45	278 K	14÷16	341 C	40•43•45•46
400 CM 400 T (A) Chopper	79>81	530 - 102	16-35	278 K	14÷16	246 C	36•41
400 CM 400 T (B, C, D) Chopper	81>83	520 - 100	16-35	276 K	15•16	247 C	35•36•41
400 NT 400 J, K2 Bros	88>89	525 - 112	16-44	296 K	15•16	2038 C	44•45
400 NTV 400 Bros	90	525 - 114	15-45	296 K	15•16	2038 C	44•45
400 VF 400 F (D)	83>86	530 - 108	15-46	286 K	15	341 C	40•43•45•46
400 VFR 400 RH/J Proarm NC24	87>88	525 - 106	15-45	294 K	14•15	2038 C	44•45
400 VFR 400 R3 (L, M) NC30	90>93	525 - 104	15-40	297 K	15	312 C	40
400 XL 400 R (C)	82	520 - 104	15-45	281 K	14•15	245 C	38÷41•43÷45•47•48•51
400 XL 400 R (T > X)	96>99	520 - 108	15-45	4027 K	13÷15	210 C 210 EC	43•45•48÷53 47÷54
400 XR 400 R	01>04	520 - 108	15-45	4049 K	13÷16	210 ESM 210 C 210 EC 210 SPE	40÷46 43•45•48÷53 47÷54 Spacer3mm.
450 CB 450 S (G, J) (27 PS)	86>88	525 - 108	16-36	291 K	15•16	332 C	36•37•44
450 CB 450 DX (K) (44 PS)	89>92	525 - 108	16-36	291 K	15•16	332 C	36•37•44
450 CMX 450 C Rebel	87	525 - 112	16-36	291 K	15•16	332 C	36•37•44
450 CRF 450 R	02>08	520 - 114	13-48	284 K 284 KC	12÷15 13÷15	210 EC 210 ESM 210 C 210 SPE	47÷54 40÷46 43•45•48÷53 Spacer3mm.
450 CRF 450 X	04>08	520 - 114	13-51	284 K 284 KC	12÷15 13÷15	210 EC 210 ESM 210 C 210 SPE	47÷54 40÷46 43•45•48÷53 Spacer3mm.
500 CB 500 K1-2/F	75>77	530 - 100	17-34	288 K	17•18	282 C	34•37
500 CB 500 Clubman (K, L)	89>90	525 - 108	15-37	294 K	14•15	332 C	36•37•44
500 CB 500 R/S (R > X)	94>99	525 - 108	15-40	297 K	15	344 C	38•40•43•45•46
500 CB 500 - S	99>04	525 - 120	15-40	297 K	15	344 C	38•40•43•45•46
500 CBF 500	04>06	525 - 116	15-41	294 K	14•15	344 C	38•40•43•45•46
500 CBF 500	07>08	525 - 116	15-41	297 K	15	2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
500 CBX 500 F-F2	82>83	530 - 104	16-43	292 K	16	341 C	40•43•45•46
500 CR 500 R (J > M)	88>91	520 - 116	14-51	284 K 284 KC	12÷15 13÷15	210 EC 210 C	47÷54 43•45•48÷53
500 CR 500 R (N > X)	92>99	520 - 114	14-49	284 K 284 KC	12÷15 13÷15	210 EC 210 C	47÷54 43•45•48÷53
500 GB 500 TT, K Clubman	89>90	525 - 108	15-37	294 K	14•15	332 C	36•37•44
500 VF 500 F2 (E) PC12	84>85	530 - 108	15-43	286 K	15	341 C	40•43•45•46
500 VF 500 F2 (F)	85>87	530 - 108	15-40	286 K	15	341 C	40•43•45•46
500 XBR 500 S (42PS) (H, J)	87>91	525 - 108	15-36	294 K	14•15	332 C	36•37•44
500 XL 500 S (Z, A, B)	79>81	520 - 96	14-39	281 K	14•15	245 C	38÷41•43÷45•47•48•51
500 XL 500 R (D, F, H)	83>87	520 - 102	15-41	281 K	14•15	245 C	38÷41•43÷45•47•48•51
500 XR 500 R (D, E, F)	83>85	520 - 104	14-48	281 K	14•15	245 C	38÷41•43÷45•47•48•51
550 CB 550 K3-F1-F2	75>80	530 - 102	17-37	288 K	17•18	282 C	34•37



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
550 CBX 550 FD/F2D	81>86	530 - 104	16-43	338 K	16	341 C	40•43•45•46
550 CBX 550 FC/F2C	82>85	530 - 104	16-45	338 K	16	341 C	40•43•45•46
600 CB 600 F Hornet - S	98>06	525 - 110	15-42	4034 K	14•15	2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
CB 600 F Hornet - S #520		520 -		4034 KM	13÷16	2033 EMD	41÷46
600 CB 600 F Hornet ABS	07>08	525 - 118	16-43	4029 K	15•16	2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
CB 600 F Hornet - S #520		520 -		4029 KM	14÷16	2033 EMD	41÷46
600 CB 600 F (599)	04>06	525 - 110	15-42	4034 K	14•15	2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
CB 600 F (599) #520		520 -		4034 KM	13÷16	2033 EMD	41÷46
600 CBF 600 - N - S - ABS	04>07	525 - 116	15-43	4034 K	14•15	2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
CBF 600 - N - S - ABS #520		520 -		4034 KM	13÷16	2033 EMD	41÷46
600 CBF 600 - S - ABS	08	525 -	-42			2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
CBF 600 - S - ABS #520		520 -				2033 EMD	41÷46
600 CBR 600 F (H > L) PC13/23	87>90	530 - 110	15-43	295 K	14•15	341 C	40•43•45•46
600 CBR 600 F (M > T) PC25	91>96	530 - 108	15-43	295 K	14•15	302 THF 302 C 302 ED	41÷44 41÷44 41÷43
600 CBR 600 F (V, W)	97>98	525 - 108	15-43	4034 K	14•15	2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
CBR 600 F (V, W) # 520		520GXW		4034 KM	13÷16	2033 EMD	41÷46
600 CBR 600 F	99>00	525 - 110	16-44	4029 K	15•16	2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
CBR 600 F #520		520 -		4029 KM	14÷16	2033 EMD	41÷46
600 CBR 600 F	01>06	525 - 108	16-45	4029 K	15•16	2071 THF 2071 ED 2071 C	40÷46 45÷47 40÷46
CBR 600 F # 520		520 -		4029 KM	14÷16	2060 EMD	38÷48
600 CBR 600 RR	03>06	525 - 112	16-42	4029 K	15•16	2071 THF 2071 ED 2071 C	40÷46 45÷47 40÷46
CBR 600 RR # 520		520 -		4029 KM	14÷16	2060 EMD	38÷48
600 CBR 600 RR	07	525 - 112	16-41	4029 K	15•16	2071 THF 2071 ED 2071 C	40÷46 45÷47 40÷46
CBR 600 RR # 520		520 -		4029 KM	14÷16	2060 EMD	38÷48
600 CBR 600 RR	08	525 - 112	16-42	4029 K	15•16	2071 THF 2071 ED 2071 C	40÷46 45÷47 40÷46
CBR 600 RR # 520		520 -		4029 KM	14÷16	2060 EMD	38÷48
600 VT 600 C (J) PC21	88	525 - 120	16-44	293 K	15•16	332 C	36•37•44
600 VT 600 C Shadow (K > X)	89>07	525 - 120	16-44	296 K	15•16	332 C	36•37•44
600 XL 600 R PD03	83>87	520 - 106	15-40	281 K	14•15	245 C	38÷41•43÷45•47•48•51
600 XL 600 LM-F/RM-G PD04	85>88	520 - 104	15-41	281 K	14•15	245 C	38÷41•43÷45•47•48•51
600 XL 600 V	89>95	525 - 124	15-49	296 K	15•16	300 C	39•42•43•47÷49
600 XL 600 V Transalp (H, J)	87>88	525 - 118	15-47	293 K	15•16	300 C	39•42•43•47÷49
600 XL 600 V Transalp (K > X)	89>00	525 - 118	15-47	296 K	15•16	300 C	39•42•43•47÷49
600 XR 600 R	85>87	520 - 110	14-48	281 K	14•15	245 C	38÷41•43÷45•47•48•51
600 XR 600 R	88>90	520 - 110	14-50	281 K	14•15	2015 EC 2015 C	47÷53 46•48÷50•52
600 XR 600 R (M > W)	91>00	520 - 110	14-48	309 K	13÷15	301 E 301 C	46•48•50 46•48•50
650 CB 650 (Z, A, B)	79>81	530 - 102	16-40	338 K	16	284 C	39•40•48
650 CB 650 S/C Nighthawk	82>84	530 - 106	16-39	338 K	16	284 C	39•40•48
650 FMX	05>08	520 - 110	14-42	308 K	14•15	305 C	42÷48•50
650 FX 650 Vigor (X)	99	520 - 120	14-43	308 K	14•15	305 C	42÷48•50
650 NT 650 K Hawk GT USA	88>91	525 - 112	16-44	296 K	15•16	2038 C	44•45
650 NTV 650 K2 Bros	88>91	525 - 112	16-44	296 K	15•16	2038 C	44•45
650 NX 650 Dominator (J)	88	520 - 108	15-45	306 K	15	305 C	42÷48•50
650 NX 650 Dominator (K, L)	89>90	520 - 108	15-45	308 K	14•15	305 C	42÷48•50
650 NX 650 Dominator (M > R)	91>94	520 - 110	15-47	308 K	14•15	305 C	42÷48•50
650 NX 650 Dominator 34PS	95>99	520 - 110	15-48	308 K	14•15	305 C	42÷48•50
650 NX 650 Dominator (S > W)	95>01	520 - 108	15-46	308 K	14•15	305 C	42÷48•50
650 SLR 650 (V, W)	97>98	520 - 110	14-43	308 K	14•15	305 C	42÷48•50



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
650 XL 650 V Transalp	00>07	525 - 118	15-48	296 K	15•16	300 C	39•42•43•47÷49
650 XR 650 L	93>08	520 - 110	15-48	308 K	14•15	301 E 301 C	46•48•50 46•48•50
650 XR 650 R	00>07	520 - 110	14-48	4043 K	13÷16	210 EC 210 ESM 210 C	47÷54 40÷46 43•45•48÷53
650 XRV 650 Africa Twin (J)	88>89	525 - 124	16-49	296 K	15•16	300 C	39•42•43•47÷49
750 CB 750 F (A, B, C) F2 (C, D), SC	79>84	530 - 108	18-46	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
750 CB 750 Nighthawk	92>93	525 - 112	15-38	4000 K	15	344 C	38•40÷43•45•46
750 CB 750 F2 (N > X) RC42, Seventy	92>98	525 - 112	15-40	4000 K	15	344 C	38•40÷43•45•46
750 CBX 750 F (E, G) F2G	84>86	530 - 114	16-45	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
750 VF 750 F (D, E, F) RC15	83>85	530 - 110	17-44	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
750 VF 750 C (P, R, S) RC 43	93>95	530 - 118	16-40	333 K	15÷17	334 THF 334 C	39÷46•48 39÷46•48
750 VF 750 C (T > X)	96>99	530 - 120	16-39	333 K	15÷17	334 THF 334 C	39÷46•48 39÷46•48
750 VFR 750 F (G > H)	86>87	530 - 110	16-45	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
750 VFR 750 F (LJ> K)	88>89	530 - 110	16-45	333 K	15÷17	334 THF 334 C	39÷46•48 39÷46•48
750 VFR 750 F (L>W)	90>98	530 - 112	16-43	333 K	15÷17	343 C 343 THF	43•45 43•45
750 VFR 750 R (J>W)	88>92	525 - 106	16-40	313 K	16	312 C	40
750 VT 750 C Shadow	98>01	525 - 122	17-41	314 K	15÷17	2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
750 VT 750 Shadow	02>08	525 - 122	17-42	314 K	15÷17	2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
750 XRV 750 Africa Twin (L, M, N)	90>92	525 - 124	16-46	314 K	15÷17	344 C	38•40÷43•45•46
750 XRV 750 Africa Twin	93>01	525 - 124	16-45	314 K	15÷17	344 C	38•40÷43•45•46
750 XRV 750 Austria (P, R, S)	93>95	525 - 122	16-43	314 K	15÷17	344 C	38•40÷43•45•46
800 VFR 800 F	98>01	530 - 108	17-43	339 K	16÷18	343 THF 343 C	43•45 43•45
800 VFR 800 F/VFR 800-ABS-V TEC	02>08	530 - 110	16-43	339 K	16÷18	2089 THF 2089 C	43•44 43•44
900 CB 900F-F2 (Z > D)	79>83	530 - 106	17-44	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
900 CB 900 F Hornet	02>	530 - 114	16-43	333 K	15÷17	302 THF 302 C 302 ED	41÷44 41÷44 41÷43
CB 900 F Hornet # 520		520 -		333 KM	15•16	2033 EMD	41÷46
900 CBR 900 RR (N > S) SC28	92>95	530 - 108	16-42	333 K	15÷17	302 THF 302 ED	41÷44 41÷43
CBR 900 RR (N > S) SC28 #520		520 -		333 KM	15•16	2033 EMD	41÷46
900 CBR 900 RR (T > X)	96>99	525 - 108	16-42	4029 K	15•16	2033 THF 2033 ED	41÷45•47 42÷44
CBR 900 RR (T > X) # 520		520 -		4029 KM	14÷16	2033 EMD	41÷46
900 CBR 900 RR Fireblade	00>04	530 - 108	16-42	333 K	15÷17	2060 THF 2060 C 2060 ED	40÷44 40÷44 40÷43
CBR 900 RR Fireblade #520		520 -		333 KM	15•16	2060 EMD	38÷48
929 CBR 929 RR	00>01	530 - 108	16-43	333 K	15÷17	2060 THF 2060 C 2060 ED	40÷44 40÷44 40÷43
CBR 929 RR # 520		520 -		333 KM	15•16	2060 EMD	38÷48
954 CBR 954 RR	02>03	530 - 108	16-43	333 K	15÷17	2060 THF 2060 C 2060 ED	40÷44 40÷44 40÷43
CBR 954 RR # 520		520 -		333 KM	15•16	2060 EMD	38÷48
1000 CB 1000 F (P > T) SC30	93>96	530 - 116	17-42	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
1000 CBF 1000 F	06>08	530 -	16-43	333 K	15÷17	302 THF 302 ED	41÷44 41÷43
1000 CBF 1000 F #520		520 -		333 KM	15•16	2033 EMD	41÷46
1000 CBR 1000 F (H, J) SC21	87>88	530 - 114	17-43	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
1000 CBR 1000 F (K > S) SC24/26	89>95	530 - 118	17-42	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
1000 CBR 1000 F (T > X)	96>99	530 - 114	17-41	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
1000 CBR 1000 RR	04>05	530 - 114	16-40	333 K	15÷17	2060 THF 2060 C 2060 ED	40÷44 40÷44 40÷43
CBR 1000 RR # 520		520 -		333 KM	15•16	2060 EMD	38÷48
1000 CBR 1000 RR	06>08	530 - 116	16-42	333 K	15÷17	2060 THF 2060 C 2060 ED	40÷44 40÷44 40÷43
CBR 1000 RR # 520		520 -		333 KM	15•16	2060 EMD	38÷48
1000 CBX 1000 (Z, A) SC03	79>80	630 V 88	15-35	335 K	15	336 C	35
1000 RC-51	00>01	530 - 104	16-40	333 K	15÷17	2060 THF 2060 C 2060 ED	40÷44 40÷44 40÷43
RC-51 # 520		520 -		333 KM	15•16	2060 EMD	38÷48
1000 RC-51	02>05	530 - 106	16-40	333 K	15÷17	2060 THF 2060 C 2060 ED	40÷44 40÷44 40÷43
RC-51 # 520		520 -		333 KM	15•16	2060 EMD	38÷48
1000 VF 1000 F-FII (E, F) SC15	84>87	530 - 114	17-43	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
1000 VF 1000 R (E, F, G) SC16	84>86	530 - 110	17-43	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
1000 VTR 1000 F (V > X) Firestorm	97>06	530 - 102	16-41	333 K	15÷17	302 THF 302 ED	41÷44 41÷43
VTR 1000 F (V > X) Firestorm #520		520 -		333 KM	15•16	2033 EMD	41÷46
1000 VTR 1000 SP-01	00>01	530 - 104	16-40	333 K	15÷17	2060 THF 2060 ED	40÷44 40÷43
VTR 1000 SP-01 # 520		520 -		333 KM	15•16	2060 EMD	38÷48
1000 VTR 1000 SP-02	00>	530 - 102	16-40	333 K	15÷17	2060 THF 2060 C 2060 ED	40÷44 40÷44 40÷43
VTR 1000 SP-02 # 520		520 -		333 KM	15•16	2060 EMD	38÷48
1000 XL 1000 Varadero (X) - ABS	99>08	525 - 112	16-47	4029 K	15•16	2033 THF 2033 C 2033 ED	41÷45•47 41÷44•47 42÷44
XL 1000 Varadero (X) - ABS #520		520 -		4029 KM	14÷16	2033 EMD	41÷46
1100 CB 1100 R (B, C, D) SC11	82>84	530 - 104	17-41	339 K	16÷18	334 THF 334 C	39÷46•48 39÷46•48
1100 CBR 1100 XX (T > X)	97>	530 - 110	17-44	339 K	16÷18	302 THF 302 ED	41÷44 41÷43
1100 X-ELEVEN	01>02	530 - 110	17-43	339 K	16÷18	302 THF 302 ED	41÷44 41÷43
1300 CB	03>08	530 - 114	18 41	339 K	16÷18	302 THF 302 ED	41÷44 41÷43

Husaberg

350 TE	97>98	520 - 118	13-50	823 K	11•13•14	2073 E	48•50•52
400 FE	96>01	520 - 118	14-48	823 K	11•13•14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
400 MC	97>98	520 - 118	13-48	823 K	11•13•14	2073 E	48•50•52
400 TE	99	520 - 118	14-48	823 K	11•13•14	2073 E	48•50•52
400 TE	01	520 - 118	14-48	823 K	11•13•14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
450 FC, FE, FS	04>08	520 - 120	14-48	823 K	11•13•14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
501 FE	01	520 - 118	14-48	823 K	11•13•14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
501 TE	97>98	520 - 118	14-48	823 K	11•13•14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
501 TE	00	520 - 118	14-48	823 K	11•13•14	2073 E	48•50•52
501 TE	01	520 - 118	14-48	823 K	11•13•14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
550 FC, FE	04>08	520 - 120	15-48	823 K	11•13•14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
600 FE	00>01	520 - 118	14-48	823 K	11•13•14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
600 MC	94>98	520 - 118	13-48	823 K	11•13•14	2073 E	48•50•52



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
650 FE, FS	04> 08	520 - 120	15-45	823 K	11•13•14	897 ESM 897 EC 897 C	36÷45 46÷53 38•40•42•48•50•52

Husqvarna

125 CR 125	90>94	520 - 112	12-50	718 K	12•13	1509 EC 1509 C	47÷52 50
125 CR 125	95>97	520 - 114	13-50	4018 K	13•14	1509 EC 1509 C	47÷52 50
125 CR 125	98>99	520 - 112	13-50	4008 K	10•12•13	1509 EC 1509 C	47÷52 50
125 CR 125	'00	520 - 114	13-48	4008 K	10•12•13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
125 CR125 / WR125 (01>) WR125 (98)		520 - 118	13-50	4008 K	10•12•13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
125 SM-S 125	01>	520 - 116	14-49	4018 K	13•14	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
125 WR 125 K	86>89	520 - 116	13-52	823 K	13•14	1510 E	50÷52
125 WR 125	90	520 - 116	12-52	718 K	12•13	1509 EC 1509 C	47÷52 50
125 WR 125	91>94	520 - 116	13-52	718 K	12•13	1509 EC 1509 C	47÷52 50
125 WR 125	95>	520 - 114	13-52	4018 K	13•14	1509 EC 1509 C	47÷52 50
125 WRE 125 Dual	98>99	520 - 116	14-50	4008 K	10•12•13	1509 EC 1509 C	47÷52 50
125 WRE 125 Dual	01>	520 - 114	13-50	4008 K	10•12•13	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 CR 250	90>91	520 - 112	13-50	507 K	14•15	1509 EC 1509 C	47÷52 50
250 CR250 / WR250 (92÷99)		520 - 112	14-48	507 K	14•15	1509 EC 1509 C	47÷52 50
250 CR 250	00	520 - 112	13-48	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 CR250 WR250 WR360	01>	520 - 114	13-48	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 TC 250	06> 08	520 -	12-50	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 TE, TC 250	04>05	520 - 120	14-50	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 TE 250	06> 08	520 - 114	13-50	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 TE 250 I.E.	08		13-50	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 WR 250	81>88	520 - 120	14-53	823 K	13•14	223 E 223 C	48•52•53 48•50•52•53
250 WR 250	89	520 - 120	14-50	823 K	13•14	1510 E	50÷52
250 WR 250	90	520 - 112	14-46	824 K	12÷17	1509 ESM 1509 EC 1509 C	38÷46 47÷52 50
250 WR 250	91	520 - 112	15-46	507 K	14•15	1509 ESM 1509 EC 1509 C	38÷46 47÷52 50
250 WR 250	00>	520 - 112	14-48	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 WR 250	06	520 - 114	13-48	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
250 WR 250	07> 08	520 - 112 520 - 112	13-48	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
350 TE 350	90	520 - 116	12-50	824 K	12÷17	1509 EC 1509 C	47÷52 50



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model		Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
					T10-90-		T10-80-	
350	TE 350	91	520 - 116	15-50	824 K	12÷17	1509 EC 1509 C	47÷52 50
350	TE350 (92÷95) TE400 (01>) TE570 (01>)		520 - 116	15-48	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
350	WXE350 WXC350	94	520 - 116	12-48	824 K	12÷17	1509 EC 1509 C	47÷52 50
360	CR360 (92÷93) WR360 (92÷00)		520 - 112	15-48	507 K	14•15	1509 EC 1509 C	47÷52 50
410	TC 410	95>98	520 - 116	13-48	824 K	12÷17	1509 EC 1509 C	47÷52 50
410	TE 410	01>	520 - 112 520 - 112	13-45	824 K	12÷17	1509 ESM 1509 EC 1509 C	38÷46 47÷52 50
450	TC 450	04>	520 - 114	14-50	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
450	TE 450	04>	520 - 114	13-50	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
450	SM 450 R	04	520 - 112	13-45	824 K	12÷17	1509 ESM 1509 EC 1509 C	38÷46 47÷52 50
450	SM 450 RR	08	520 -	13-42	824 K	12÷17	1509 ESM 1509 EC 1509 C	38÷46 47÷52 50
510	SM 510 R	06	520 - 110	15-42	824 K	12÷17	1509 ESM 1509 EC 1509 C	38÷46 47÷52 50
510	TC 510 TE510	89	520 - 116	14-48	823 K	13•14	223 E 223 C	48•52•53 48•50•52•53
510	TC510 (90) TC610 (91÷97)		520 - 120	12-52	824 K	12÷17	1509 EC 1509 C	47÷52 50
510	TC 510	06	520 -	14-47	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
510	TC 510	08	520 - 116	14-47	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
510	TE510 (90) WXC / WXE 610 (94)		520 - 116	14-48	824 K	12÷17	1509 EC 1509 C	47÷52 50
510	TE 510	06>08	520 - 116	14-50	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
570	SM 570 R TE 570 R	01> 03>04	520 - 116	17-48	824 K	12÷17	1509 EC 1509 ESM 1509 C	47÷52 38÷46 50
610	SM 610 SM 610 S	99>	520 - 116	16-45	824 K	12÷17	1509 ESM 1509 EC 1509 C	38÷46 47÷52 50
610	TC 610	98	520 - 118	13-52	824 K	12÷17	1509 EC 1509 C	47÷52 50
610	TE 610	91>98	520 - 116 520 - 116	17-48	824 K	12÷17	1509 EC 1509 C	47÷52 50
610	TE 610 E	01>	520 - 112 520 - 112	15-45	824 K	12÷17	1509 ESM 1509 EC 1509 C	38÷46 47÷52 50

Hyosung

125	Cruise, GF, XRX	95>98	428 - 126	14-48	264 K	14÷16	269	34•35•39•40÷43•47•49•51
125	GV, KRION	95>98	428 - 126	14-48	264 K	14÷16	269	34•35•39•40÷43•47•49•51

Hyundai

125	HMZ Cruise 80 Km.	95>96	428 - 126	14-48	426 K	14•15	810	41÷43•47•49•51
125	HMZ Cruise	97>98	428 - 126	14-47	426 K	14•15	810	41÷43•47•49•51

Kawasaki

50	AR 50 A1/C2 > 10	81>98	420 - 116	15-49	504	15	466	49
60	KX 60 A/B	83>03	420 - 104	13-44	560 K 560 KC	12÷16 13•14	464 E	44•47
65	KX 65	00>01	420 - 108	13-47	560 K 560 KC	12÷16 13•14	2101 E	47÷50
65	KX 65	02>08	420 - 112	13-47	560 K 560 KC	12÷16 13•14	2101 E	47÷50



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	
80 AE 80 A1/B1	81>89	420 - 114	15-43	504	15	801	38*43*46*47*49*51*54
80 AR 80 C1-6-7-8	89>92	420 - 114	15-43	504	15	801	38*43*46*47*49*51*54
80 KX 80 R	91>97	420 - 118	13-49	560 K 560 KC	12÷16 13*14	2065 C	49*54
80 KX 80 Big Wheels	91>97	420 - 124	13-54	560 K 560 KC	12÷16 13*14	2065 C 2065 E	49*54 47÷53
80 KX 80 (W/A)	98>00	420 - 120	14-50	560 K 560 KC	12÷16 13*14	2065 E 2065 C	47÷53 49*54
80 KX 80 Big Wheels	98>00	420 - 130	13-51	560 K 560 KC	12÷16 13*14	2065 E 2065 C	47÷53 49*54
85 KX 85 A	01>08	420 - 120	14-50	560 K 560 KC	12÷16 13*14	2065 E 2065 C	47÷53 49*54
85 KX 85 A Big Wheels	01>08	420 - 130	13-51	560 K 560 KC	12÷16 13*14	2065 E 2065 C	47÷53 49*54
100 KE 100 A7-10	78>81	428 - 110	15-42	417 K	14÷16	802	42*43
100 KX 100 C / D	98>08	420 - 124	13-51	560 K 560 KC	12÷16 13*14	2065 E 2065 C	47÷53 49*54
125 AR 125 LC A1-8/B1-8	82>94	428 - 116	14-36	417 K	14÷16	468	36
125 BN 125 Eliminator (A1,6)	98>06	428 - 132	15-46	417 K	14÷16	2057	46
125 KDX 125 A1/B1-SR	90>99	428 - 132	15-52	417 K	14÷16	459	52
125 KH 125 A1-4	77>82	428 - 112	14-47	417 K	14÷16	810	41÷43*47÷49*51
125 KMX 125 A1-5/B1>8	86>01	428 - 124	14-48	417 K	14÷16	463	46*48
125 KX 125 D1/E1-2/F1/G1	85>89	520 - 112	12-47	421 K	11÷13	460 EC	47÷53
125 KX 125 H1-2/J1	90>92	520 - 112	12-48	421 K	11÷13	460 EC	47÷53
125 KX 125 J2/K1-2	93>95	520 - 110	12-49	4010 K 4010 KC	11÷14 12*13	460 EC	47÷53
125 KX 125 K3-4	96>97	520 - 112	13-50	4010 K 4010 KC	11÷14 12*13	460 EC	47÷53
125 KX 125 K5-L1-L3-L4	98>99	520 - 112	12-48	4010 K 4010 KC	11÷14 12*13	460 EC	47÷53
125 KX 125	00>03	520 - 112	12-49	4010 K 4010 KC	11÷14 12*13	460 EC 460 ESM	47÷53 42÷46
125 KX 125	04>08	520 - 114	13-51	4010 K 4010 KC	11÷14 12*13	460 EC 460 ESM	47÷53 42÷46
200 KDX 200 A / D	83>88	520 - 110	13-48	569 K 569 KC	13÷17 14	467 C	42*47*48*50*54
200 KDX 200 E / H	89>06	520 - 108	13-47	569 K 569 KC	13÷17 14	467 C	42*47*48*50*54
220 KDX 220 A / R	97>05	520 - 108	13-47	569 K 569 KC	13÷17 14	467 C	42*47*48*50*54
250 BJ 250 Estrella A1-3/C2	95>00	520 - 102	15-38	512 K	15÷17	487 C	38*42÷44*46
250 EL 250 Chopper D1-5/E1-3	90>95	520 - 114	14-44	516 K	14*15	486 C	38*40÷42*44*45*47
250 EL 250 (EL252) F2	96>02	520 - 112	14-40	516 K	14*15	486 C	38*40÷42*44*45*47
250 GPX 250 R (EX 250 F)	88>04	520 - 106	14-45	516 K	14*15	486 C	38*40÷42*44*45*47
250 KDX 250 D1-5	91>95	520 - 112	14-48	569 K 569 KC	13÷17 14	460 EC	47÷53
250 KLR 250 (KL 250 D)	84>05	520 - 104	15-44	516 K	14*15	475 C	42*44
250 KLX 250 (Trail) G1-2 / F1>5	93>99	520 - 108	14-42	569 K 569 KC	13÷17 14	467 C	42*47*48*50*54
250 KLX 250 R (End) D1>6	93>99	520 - 110	14-50	569 K 569 KC	13÷17 14	467 C	42*47*48*50*54
250 KR 250 (KR1) B2	89>92	520 - 106	15-40	516 K	14*15	472 C	40*41
250 KX 250	84>86	520 - 114	14-48	507 K	14*15	460 EC	47÷53
250 KX 250	87>91	520 - 114	14-48	569 K 569 KC	13÷17 14	460 EC	47÷53
250 KX 250 J1-2/K1-2-3-4-5	92>98	520 - 114	14-49	569 K 569 KC	13÷17 14	460 EC	47÷53
250 KX 250 L1-2-3	99>01	520 - 114	13-49	565 K 565 KC	11÷16 13÷15	460 EC 460 ESM	47÷53 42÷46
250 KX 250	02>04	520 - 114	12-49	565 K 565 KC	11÷16 13÷15	460 EC 460 ESM	47÷53 42÷46
250 KX 250	05>08	520 - 116	13-51	565 K 565 KC	11÷16 13÷15	460 EC 460 ESM	47÷53 42÷46
250 KX 250 F	04>05	520 - 114 520 - 114	13-48	4062 K 4062 KC	12÷14 12÷14	460 EC 460 ESM	47÷53 42÷46
250 KX 250 F	06>08	520 - 114 520 - 114	13-48	4073 K	13*14	460 EC 460 ESM	47÷53 42÷46
250 Ninja	06>08	520 - 116	14-45	516 K	14*15	486 C	38*40÷42*44*45*47
250 ZZR 250	92>	520 - 108	14-47	516 K	14*15	486 C	38*40÷42*44*45*47
300 KLX 300 A2>8	97>02	520 - 110	14-50	569 K 569 KC	13÷17 14	460 EC 460 ESM	47÷53 42÷46
300 KLX 300 R	03>08	520 - 110	14-50	565 K 565 KC	11÷16 13÷15	460 EC 460 ESM	47÷53 42÷46
400 GPZ 400 (49PS)	84>87	520 - 104	16-38	512 K	15÷17	478 C	38*42÷45



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
400 GPZ 400 (27PS)	84>99	520 - 106	16-42	512 K	15÷17	478 C	38•42÷45
400 KLX 400 R	03	520 - 114	14-47	434 K	15•16	808 EC 808 ESM 808 C	47÷52 41÷46 41÷44
400 KLX 400 SR	03	520 - 112	15-44	434 K	15•16	808 ESM 808 EC 808 C	41÷46 47÷52 41÷44
400 Z 400 B1-2/D1-4	78>80	530 - 100	15-44	509 K	15	476 C	44•45
400 ZR 400 (ZF) A1/B1	83>85	530 - 104	16-40	513 K	15•16•18	488 C 488 THF 488 ED	38•40÷42•44÷46 38•40÷42•44÷46 41•46
400 ZX 400 (ZF2) C2-5	84>87	520 - 106	16-42	512 K	15÷17	478 C	38•42÷45
400 ZX 400 (ZXR) L1>8	91>99	520 - 110	15-45	512 K	15÷17	478 C	38•42÷45
440 Z 440 A1-2/C1-2/H1-2	79>83	530 - 104	15-44	509 K	15	476 C	44•45
440 Z 440 LTD D4-6	82>85	530 - 104	15-45	509 K	15	476 C	44•45
450 KX 450 F	06>08	520 - 116 520 - 116	13-50	4082 K	12÷14	460 EC 460 ESM	47÷53 42÷46
500 EN 500 Classic C1>7	96>02	520 - 110	16-42	512 K	15÷17	475 C	42•44
500 EN 500 Vulcan	96>08	520 - 110	16-42	512 K	15÷17	475 C	42•44
500 ER - 5	96>06	520 - 116	17-42	512 K	15÷17	486 C	38•40÷42•44•45•47
500 GPX 500 R	88	530 - 104	15-42	513 K	15•16•18	479 C 479 THF 479 ED	39•42÷48 39•42÷49 43•44
500 GPZ 500 S (EX) A1>3 B1>5	87>93	520 - 104	16-42	512 K	15÷17	486 C	38•40÷42•44•45•47
500 GPZ 500 S (EX) E1>10	94>05	520 - 104	16-41	512 K	15÷17	486 C	38•40÷42•44•45•47
500 KLE 500 A1>5	91>95	520 - 108	16-44	512 K	15÷17	487 C	38•42÷44•46
500 KLE 500 A6>12	96>02	520 - 110	17-46	512 K	15÷17	487 C	38•42÷44•46
500 KLE 500 A13	03>04	520 - 110	17-46	512 K	15÷17	487 C	38•42÷44•46
500 KLE 500 B1P	05	520 - 108	17-46	512 K	15÷17	487 C	38•42÷44•46
500 KLE 500 France A6>9	96>99	520 - 110	17-46	512 K	15÷17	487 C	38•42÷44•46
500 KLE 500	'04	520 - 110	16-44	512 K	15÷17	487 C	38•42÷44•46
500 KX 500 A2/B1-2	84>86	520 - 114	14-48	507 K	14•15	460 EC	47÷53
500 KX 500 C1/D1/E1>15	87>	520 - 114	14-47	569 K 569 KC	13÷17 14	460 EC	47÷53
500 Ninja	94>07	520 - 106	16-41	512 K	15÷17	486 C	38•40÷42•44•45•47
500 ZZR 500	90>91	530 - 110	15-48	566 K	14÷17	499 C 499 THF 499 ED	38÷40•42•43•45•46•48 38÷40•43 38•39•43•44
550 GPZ 550 H1-2 Unitrak	82>83	530 - 104	16-38	513 K	15•16•18	488 C 488 THF 488 ED	38•40÷42•44÷46 38•40÷42•44÷46 41•46
550 GPZ 550 A1-6 Unitrak	84>92	520 - 106	16-38	512 K	15÷17	478 C	38•42÷45
550 Z 550 B2-3	81>82	530 - 100	16-40	513 K	15•16•18	488 C 488 THF 488 ED	38•40÷42•44÷46 38•40÷42•44÷46 41•46
550 Z 550 LTD C1-2/D1	81>83	530 - 100	16-38	513 K	15•16•18	488 C 488 THF 488 ED	38•40÷42•44÷46 38•40÷42•44÷46 41•46
550 ZR 550 (ZF) A1-2	82>88	530 - 104	16-38	513 K	15•16•18	488 C 488 THF 488 ED	38•40÷42•44÷46 38•40÷42•44÷46 41•46
550 ZR 550 Zephyr B2>8	91>00	520 - 106	16-38	512 K	15÷17	486 C	38•40÷42•44•45•47
600 GPX 600 R (ZX) C1>10	88>00	530 - 102	15-39	513 K	15•16•18	479 C 479 THF 479 ED	39•42÷48 39•42÷49 43•44
600 GPZ 600 R (ZX) A1-5	85>89	530 - 102	15-39	513 K	15•16•18	479 C 479 THF 479 ED	39•42÷48 39•42÷49 43•44
600 KLR 600 S A1-5/B1-9	84>95	520 - 104	15-43	516 K	14•15	477 C	43
600 ZX-6R (ZX600F)	95>97	525 - 108	15-40	4023 K	14•15	498 C 498 THF 498 ED	38÷40•44÷46 38÷40•44÷46 44÷46
600 ZX-6R (ZX600F) #520		520 -		4023 KM	15	499 EMD	40÷47
600 ZX-6R (ZX600G-J)	98>02	525 - 108	15-40	4044 K	14÷16	2031 THF 2031 C 2031 ED	38÷43 38÷43 40÷44
600 ZX-6R (ZX600G-J) # 520		520 -		4044 KM	14÷16	2031 EMD	38÷48
600 ZX-6RR, ZX-6R (636cc) Ninja	03>04	520 - 108	15-40	4044 KM	14÷16	2102 C 2031 EMD	39÷41•43•44÷46 38÷48
600 ZX-6RR, ZX-6R (636cc) Ninja	05>06	520 - 110	15-43	4044 KM	14÷16	2102 C 2031 EMD	39÷41•43•44÷46 38÷48
600 ZX-6R (636cc) Ninja	07>08	520 - 112	16-43	4086 K	15•16	2102 C 2031 EMD	39÷41•43•44÷46 38÷48
600 ZZ-R 600 (ZX) D1-4	90>92	530 - 110	15-45	566 K	14÷17	499 C	38÷40•42•43•45•46•48



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
						499 THF	38÷40•43
						499 ED	38•39•43•44
600	ZZ-R 600 (ZX)	93>05	530 - 112	16-48	566 K	14÷17	499 C 38÷40•42•43•45•46•48
						499 THF	38÷40•43
						499 ED	38•39•43•44
600	ZZ-R 600 (ZX)	05>07	525 - 108	15-40	4044 K	14÷16	2031 THF 38÷43
						2031 C	38÷43
						2031 ED	40÷44
650	ER 6 F, ER 6 N	06>08	520 - 114	15-46	565 K	11÷16	2102 C 39÷41•43•44÷46
						2031 EMD	38÷48
650	KLR 650 A	90>08	520 - 106	15-43	511 K	14•15	487 C 38•42÷44•46
650	KLR 650 C1>10	95>04	520 - 106	15-42	511 K	14•15	487 C 38•42÷44•46
650	KLR 650 Tengai A1-3/B1	87>90	520 - 106	15-43	516 K	14•15	487 C 38•42÷44•46
650	KLR650 Tengai	91>92	520 - 106	15-43	511 K	14•15	487 C 38•42÷44•46
650	KLX 650 C1>4	93>96	520 - 112	15-43	511 K	14•15	487 C 38•42÷44•46
650	KLX 650 R	99>01	520 - 112	15-43	511 K	14•15	487 C 38•42÷44•46
650	KLX 650 R (A1>3)	93>	520 - 110	14-49	511 K	14•15	460 EC 47÷53
650	VERSYS	07>08	520 - 114	15-46	565 K	11÷16	2102 C 39÷41•43•44÷46
						2031 EMD	38÷48
650	W 650 A1-C3/C70 (EJ650)	99>05	525 - 104	15-39	520 K	15÷17	498 THF 38÷40•44÷46
						498 C	38÷40•44÷46
						498 ED	44÷46
650	Z 650 B1-3/F1	79	530 - 102	16-42	566 K	14÷17	481 C 42
650	Z 650 C1/C3	78>79	530 - 102	16-42	566 K	14÷17	488 C 38•40÷42•44÷46
						488 THF	38•40÷42•44÷46
						488 ED	41•46
650	Z 650 F2-4/H1-3	79>83	630 V 84	13-33	518 K	13÷15	501 C 33•35•38•41
650	Z 650 SR-D2-3	79>80	530 - 104	16-40	566 K	14÷17	488 THF 38•40÷42•44÷46
						488 C	38•40÷42•44÷46
						488 ED	41•46
750	GPX 750 R (ZX) F1-4	87>90	530 - 110	16-47	513 K	15•16•18	502 C 40•44•45•47÷49
750	GPZ 750 A1-5 Unitrak	83>89	630 V 94	15-38	514 K	15	501 C 33•35•38•41
750	GPZ 750 R (ZX) G2-4	85>88	530 - 112	16-49	517 K	16÷18	502 C 40•44•45•47÷49
750	Z 750 E1/H1-2/L1-2	80>82	630 V 84	13-33	518 K	13÷15	501 C 33•35•38•41
750	Z 750 LTD Twin B1-3/Y1-2	77>82	530 - 106	16-38	566 K	14÷17	488 THF 38•40÷42•44÷46
						488 C	38•40÷42•44÷46
						488 ED	41•46
750	Z 750 R1/L3-4	82>87	630 V 88	13-33	518 K	13÷15	501 C 33•35•38•41
750	Z 750 - Z 750 S	04>08	520 - 112	15-43	4065 K	14•15	478 C 38•42÷45
750	ZR 750 Zephyr C1-4	91>94	525 - 106	15-39	520 K	15÷17	498 THF 38÷40•44÷46
						498 C	38÷40•44÷46
						498 ED	44÷46
750	ZR 750 Zephyr C5/D1	95>99	525 - 106	15-39	4031 K	15	498 THF 38÷40•44÷46
						498 C	38÷40•44÷46
						498 ED	44÷46
750	ZR-7 S	99>04	525 - 108	16-38	520 K	15÷17	498 THF 38÷40•44÷46
						498 C	38÷40•44÷46
						498 ED	44÷46
750	ZX-7R NINJA P1>7	96>04	525 - 110	16-43	520 K	15÷17	2031 THF 38÷43
						2031 C	38÷43
						2031 ED	40÷44
	ZX-7R NINJA P1>7 #520		520 -		520 KM	14÷17	2031 EMD 38÷48
750	ZX7RR	91>92	530 - 108	17-42	566 K	14÷17	488 THF 38•40÷42•44÷46
						488 C	38•40÷42•44÷46
						488 ED	41•46
750	ZX7RR	93	530 - 108	16-41	566 K	14÷17	488 THF 38•40÷42•44÷46
						488 C	38•40÷42•44÷46
						488 ED	41•46
750	ZX7RR	94>95	530 - 108	17-41	566 K	14÷17	488 THF 38•40÷42•44÷46
						488 C	38•40÷42•44÷46
						488 ED	41•46
750	ZX7RR	96>04	525 - 108	16-42	520 K	15÷17	2031 THF 38÷43
						2031 C	38÷43
						2031 ED	40÷44
	ZX7RR #520		520 -		520 KM	14÷17	2031 EMD 38÷48
750	ZXR 750 (ZX) H1	89	530 - 112	16-46	566 K	14÷17	499 C 38÷40•42•43•45•46•48
						499 THF	38÷40•43
						499 ED	38•39•43•44
750	ZXR 750 (ZX) H2	90	530 - 112	16-46	566 K	14÷17	488 THF 38•40÷42•44÷46
						488 C	38•40÷42•44÷46
						488 ED	41•46
750	ZXR 750 R (ZX7R) J1-2	91>92	530 - 110	17-45	566 K	14÷17	488 THF 38•40÷42•44÷46
						488 C	38•40÷42•44÷46
						488 ED	41•46



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model		Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
					T10-90-		T10-80-	
750	ZXR 750 R (ZX7R) L1-3	93>95	530 - 110	16-44	566 K	14÷17	488 THF 488 C 488 ED	38÷40÷42÷44÷46 38÷40÷42÷44÷46 41÷46
800	VN 800 Classic B1>8	96>05	530 - 112	17-42	566 K	14÷17	499 C 499 THF 499 ED	38÷40÷42÷43÷45÷46÷48 38÷40÷43 38÷39÷43÷44
800	VN 800 Drifter C1>2	99>01	530 - 112	17-40	566 K	14÷17	499 THF 499 C 499 ED	38÷40÷43 38÷40÷42÷43÷45÷46÷48 38÷39÷43÷44
800	VN 800 Vulcan A1-2	95>96	530 - 114	16-46	566 K	14÷17	499 C 499 THF 499 ED	38÷40÷42÷43÷45÷46÷48 38÷40÷43 38÷39÷43÷44
800	VN 800 Vulcan A3-4	97>06	530 - 114	17-42	566 K	14÷17	499 C 499 THF 499 ED	38÷40÷42÷43÷45÷46÷48 38÷40÷43 38÷39÷43÷44
900	Z 900 Z1A-Z1B	73>75	630 V 92	15-35	518 K	13÷15	483 C	35
900	Z 900 A4	76	630 V 92	15-35	521 K	15	483 C	35
900	ZX-9R B1-4 Ninja	94>97	530 - 112	16-44	566 K	14÷17	488 THF 488 C 488 ED	38÷40÷42÷44÷46 38÷40÷42÷44÷46 41÷46
	ZX-9R B1-4 Ninja #520		520 -		566 KM	14÷17	2031 EMD	38÷48
900	ZX-9R Ninja	98>01	530 - 110	16-41	566 K	14÷17	488 THF 488 C 488 ED	38÷40÷42÷44÷46 38÷40÷42÷44÷46 41÷46
	ZX-9R Ninja #520		520 -		566 KM	14÷17	2031 EMD	38÷48
900	ZX-9R Ninja	02>04	525 - 110	16-41	4064 K	15÷17	2031 THF 2031 C 2031 ED	38÷43 38÷43 40÷44
	ZX-9R # 520		520 -		566 KM	14÷17	2031 EMD	38÷48
1000	Z 1000 H1-2/MK2	74>80	630 V 94	15-35	521 K	15	501 C	33÷35÷38÷41
1000	Z 1000 (Z1R) A1-4/D1	78>80	630 V 92	15-33	521 K	15	501 C	33÷35÷38÷41
1000	Z 1000 J1-3/R2/K1-2	81>83	630 V 98	15-41	522 K	15	501 C	33÷35÷38÷41
1000	Z 1000 Naked	03>07	525 - 112	16-42	4064 K	15÷17	2031 THF 2031 C 2031 ED	38÷43 38÷43 40÷44
1000	Z 1000 Naked	08	525 - 112	16-40	4064 K	15÷17	2031 THF 2031 C 2031 ED	38÷43 38÷43 40÷44
1000	ZX 1000 (ZX10) B1-3	88>90	532 - 110	17-45	525 K	17	503 C	45
	ZX 1000 (ZX10) B1-3 #530		530 -		527 K	17	502 C	40÷44÷45÷47÷49
1000	ZX-10R Ninja	04>05	525 - 110	17-39	4064 K	15÷17	2031 THF 2031 C 2031 ED	38÷43 38÷43 40÷44
	ZX-10R Ninja #520		520 -		566 KM	14÷17	2031 EMD	38÷48
1000	ZX-10R Ninja	06>07	525 - 110	17-40	4064 K	15÷17	2031 THF 2031 C 2031 ED	38÷43 38÷43 40÷44
	ZX-10R Ninja #520		520 -		566 KM	14÷17	2031 EMD	38÷48
1000	ZX-10R Ninja	08	525 - 110	17-41	4064 K	15÷17	2031 THF 2031 C 2031 ED	38÷43 38÷43 40÷44
	ZX-10R Ninja #520		520 -		566 KM	14÷17	2031 EMD	38÷48
1000	GPZ 1000 (RX) A1-3	86>89	632 V 94	15-40	524 K	15	500 C	40
	GPZ 1000 (RX) A1-3 #630		630 V		526 K	15	506 C	40
1100	GPZ 1100 (ZX) B1-2	81>82	630 V 98	15-41	522 K	15	501 C	33÷35÷38÷41
1100	GPZ 1100 (ZX) Unitrak A1-3	83>85	630 V 100	15-41	523 K	15	501 C	33÷35÷38÷41
1100	GPZ 1100 (ZX) E1-3	95>99	530 - 112	17-45	4024 K	17	502 C	40÷44÷45÷47÷49
1100	GPZ 1100 ABS F1	96	530 - 112	17-45	4024 K	17	502 C	40÷44÷45÷47÷49
1100	Z 1100 R1-2	84>86	630 V 98	15-41	522 K	15	501 C	33÷35÷38÷41
1100	ZR 1100 A1-4 Zephyr (Switzerland)	92>96	530 - 114	16-45	517 K	16÷18	502 C	40÷44÷45÷47÷49
1100	ZR 1100 Zephyr A1-4/B1	92>96	530 - 116	16-48	517 K	16÷18	502 C	40÷44÷45÷47÷49
1100	ZRX 1100 C1-2 / D1	96>98	530 - 110	17-45	4024 K	17	502 C	40÷44÷45÷47÷49
1100	ZZR 1100 (ZX11) C1>4	90>93	530 - 110	17-45	528 K	17	502 C	40÷44÷45÷47÷49
1100	ZZR 1100 (ZX11) D1>5	93>97	530 - 110	17-45	517 K	16÷18	502 C	40÷44÷45÷47÷49
1100	ZZR 1100 (ZX11) D6	98>01	530 - 110	17-44	517 K	16÷18	502 C	40÷44÷45÷47÷49
1200	ZX-12R Ninja	00>06	530 - 116	18-46	517 K	16÷18	488 THF 488 C 488 ED	38÷40÷42÷44÷46 38÷40÷42÷44÷46 41÷46
1200	ZXR 1200 - ZRX	01>08	530 - 110	17-42	4024 K	17	488 THF 488 C 488 ED	38÷40÷42÷44÷46 38÷40÷42÷44÷46 41÷46
1200	ZZR 1200	02>05	530 - 112	17-44	517 K	16÷18	488 THF 488 C 488 ED	38÷40÷42÷44÷46 38÷40÷42÷44÷46 41÷46



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
1400 ZZR 1400	06>08	530 - 116	17-41	517 K	16÷18		

KTM

50	EXC	96>	428 - 138	12-56	1492	10÷12	2092 E	56
65	SX 65	03>	420 - 112	14-50	4058 K	13÷14	2088 E	46•48•50
85	SX 85	03>	428 - 138	14-46	4070 K	12÷14	2095 E	46•48÷50
105	EXC 105 (USA)	08	428 - 116	14-49	4070 K	12÷14	2095 E	46•48÷50
105	SX 105 (USA)	07>08	428 - 116	14-49	4070 K	12÷14	2095 E	46•48÷50
125	EXC	96>97	520 - 118	13-48	1248 K 1248 KC	12÷15 12÷14	897 EC 897 C	46÷53 38•40•42•48•50•52
125	EXC	98>07	520 - 118	13-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
125	GS	88>90	520 - 118	13-48	1248 K 1248 KC	12÷15 12÷14	896 E	48•50•52
125	GS	91>93	520 - 118	13-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 C	46÷53 38•40•42•48•50•52
125	MX	88>90	520 - 118	13-50	1248 K 1248 KC	12÷15 12÷14	896 E	48•50•52
125	MX	91>92	520 - 118	13-48	1248 K 1248 KC	12÷15 12÷14	897 EC 897 C	46÷53 38•40•42•48•50•52
125	SM	00>	520 - 114	14-38	1248 K 1248 KC	12÷15 12÷14	897 ESM 897 C	36÷45 38•40•42•48•50•52
125	SX	93>07	520 - 118	13-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
144	SX	08	520 - 118	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
200	200EXC (98>) 300EXC (95>)		520 - 118	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
200	SX	03>	520 - 116	14-45	1248 K 1248 KC	12÷15 12÷14	897 ESM 897 EC 897 C	36÷45 46÷53 38•40•42•48•50•52
250	EXC (95÷06) SX (97÷98)		520 - 118	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
250	EXC 2T	02>	520 - 118 520 - 118	14-52	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
250	EXC 4T Racing	01>	520 - 114 520 - 114	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
250	EXC 250 F	06>08	520 - 118 520 - 118	13-52	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
250	GS	81>84	520 - 118	13-52	1248 K 1248 KC	12÷15 12÷14	894 E	52
250	GS	85>89	520 - 118	13-52	1248 K 1248 KC	12÷15 12÷14	896 E	48•50•52
250	GS (90÷94) MX (91÷92)		520 - 118	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
250	MX	85>90	520 - 116	13-52	1248 K 1248 KC	12÷15 12÷14	896 E	48•50•52
250	SX	93>	520 - 116	13-52	1248 K 1248 KC	12÷15 12÷14	897 EC 897 C	46÷53 38•40•42•48•50•52
250	SXF 250	06>08	520 - 116	13-48	1248 K 1248 KC	12÷15 12÷14	897 EC 897 C	46÷53 38•40•42•48•50•52
250	XC	07>08	520 - 114	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
250	XC-W (E)	08	520 - 114	13-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
250	XC-F XCF-W	07>08	520 -	13-48	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
300	EXC	95>	520 - 116 520 - 116	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 C	46÷53 38•40•42•48•50•52
300	EXC-E	07	520 -	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 C	46÷53 38•40•42•48•50•52
300	GS	90>94	520 - 118	15-48	1248 K	12÷15	897 EC	46÷53



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>		Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
					T10-90-		T10-80-	
					1248 KC	12÷14	897 C	38•40•42•48•50•52
300	SX	93>95	520 - 118	14-52	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 C	38•40•42•48•50•52
300	XC	08	520 -	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 C	38•40•42•48•50•52
350	GS	81>84	520 - 118	14-52	1248 K	12÷15	896 E	48•50•52
					1248 KC	12÷14		
350	GS	85>90	520 - 118	14-50	1248 K	12÷15	896 E	48•50•52
					1248 KC	12÷14		
350	LC4	93	520 - 118	15-50	4021 K	13÷17	897 EC	46÷53
					4021 KC	13÷15	897 C	38•40•42•48•50•52
360	360/380 SX 2T	87>00	520 - 118	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 C	38•40•42•48•50•52
360	EXC (95÷97) SX (96÷97) 4T		520 - 118	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 C	38•40•42•48•50•52
380	EXC, SX 4T	98>02	520 - 118	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
400	Duke	94>96	520 - 118	16-42	4021 K	13÷17	897 C	38•40•42•48•50•52
					4021 KC	13÷15	897 ESM	36÷45
400	EGS (97÷98) LSE (97÷98)		520 - 118	15-45	4021 K	13÷17	897 ESM	36÷45
					4021 KC	13÷15	897 EC	46÷53
							897 C	38•40•42•48•50•52
400	EXC 4T	98>07	520 - 118 520 - 118	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
400	EXC 4T Racing		520 - 118 520 - 118	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
400	SC 4T	96>99	520 - 118	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
400	SX 4T	02	520 - 116	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
450	EXC 4T Racing	00>	520 - 114	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
450	SMR 450	04	520 - 120	14-45	1248 K	12÷15	897 ESM	36÷45
					1248 KC	12÷14	897 EC	46÷53
							897 C	38•40•42•48•50•52
450	SMR 450	08	520 -	14-48	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
450	SX 4T Racing	02>	520 - 114	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
450	SX450F	06>	520 - 116	14-52	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
450	XC-F (R)	08	520 - 116	14-52	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
450	XC-W (R) (USA)	08	520 - 116	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
500	EXC	99>	520 - 118	14-48	4021 K	13÷17	897 EC	46÷53
					4021 KC	13÷15	897 ESM	36÷45
							897 C	38•40•42•48•50•52
500	GS	81>84	520 - 118	14-52	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 C	38•40•42•48•50•52
500	MX	85>93	520 - 118	13-52	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 C	38•40•42•48•50•52
500	SX	94>96	520 - 118	14-50	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 C	38•40•42•48•50•52
505	XC-F (USA)	08	520 - 116	14-52	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
520	EXC 4T	99>02	520 - 118	14-48	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52
520	SX 4T	00>	520 - 118	14-48	1248 K	12÷15	897 EC	46÷53
					1248 KC	12÷14	897 ESM	36÷45
							897 C	38•40•42•48•50•52



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	
525 EXC 4T Racing	02>	520 - 112	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
525 MXC 4T Desert Racing	02>	520 - 112	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
525 SMR 525	04>	520 - 114	14-45	1248 K 1248 KC	12÷15 12÷14	897 ESM 897 EC 897 C	36÷45 46÷53 38•40•42•48•50•52
525 SX 4T Racing	02>	520 - 114	14-50	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
530 EXC R	08	520 - 116	14-45	1248 K 1248 KC	12÷15 12÷14	897 ESM 897 EC 897 C	36÷45 46÷53 38•40•42•48•50•52
505 XC-W (R)	08	520 - 116	14-52	1248 K 1248 KC	12÷15 12÷14	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
600 GS LC4	>92	520 - 116	13-50	4021 K	13÷17	896 E	48•50•52
600 MX LC4	88>90	520 - 116	13-50	4021 K	13÷17	896 E	48•50•52
600 MX LC4	91>94	520 - 116	15-50	4021 K	13÷17	896 E	48•50•52
620 EGS (96÷98) LSE (97÷98)		520 - 118	16-40	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 C	36÷45 38•40•42•48•50•52
620 EGS Adventure	98	520 - 118	17-45	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 EC 897 C	36÷45 46÷53 38•40•42•48•50•52
620 EXC, EGS	94	520 - 116	15-50	4021 K 4021 KC	13÷17 13÷15	897 EC 897 C	46÷53 38•40•42•48•50•52
620 GS Duke (94÷98) Duke II (99÷00)		520 - 118	17-38	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 C	36÷45 38•40•42•48•50•52
620 SX-LC4	95>98	520 - 118	15-50	4021 K 4021 KC	13÷17 13÷15	897 EC 897 C	46÷53 38•40•42•48•50•52
625 LC4 SM - SC	04	520 - 114	16-38	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 EC 897 C	36÷45 46÷53 38•40•42•48•50•52
625 SMC 4T	05>06	520 - 118	17-40	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 C 897 EC	36÷45 38•40•42•48•50•52 46÷53
625 SXC 4T	02>	520 - 110	14-50	4021 K 4021 KC	13÷17 13÷15	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
640 DUKE	01>	520 - 106	17-38	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 C	36÷45 38•40•42•48•50•52
640 LC4 Adventure LC4 Enduro	00>	520 - 118	16-42	4021 K 4021 KC	13÷17 13÷15	897 C 897 EC 897 ESM	38•40•42•48•50•52 47÷53 36÷45
640 LC4 Supermoto	99>04	520 - 118	17-40	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 C	36÷45 38•40•42•48•50•52
660 Rallye	01>	520 - 118	16-44	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 EC 897 C	36÷45 46÷53 38•40•42•48•50•52
660 SMC - SXC	01>	520 - 108	16-38	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 C	36÷45 38•40•42•48•50•52
690 ENDURO	08	520 -	15-45	4021 K 4021 KC	13÷17 13÷15	897 EC 897 ESM 897 C	46÷53 36÷45 38•40•42•48•50•52
690 SM 690	07	520 -	15-40	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 EC 897 C	36÷45 46÷53 38•40•42•48•50•52
690 SM 690	08	520 -	17-41	4021 K 4021 KC	13÷17 13÷15	897 ESM 897 EC 897 C	36÷45 46÷53 38•40•42•48•50•52
950 Superenduro	06	525 -	17-45	4059 K	16•17	2093 C	42•45
950 Supermoto	06	525 - 118	17-41	4059 K	16•17	2104 C 2104 THF	38÷41 38•39•40
990 Adventure, Adventure S	06	525 - 118	17-42	4059 K	16•17	2093 C	42•45
990 Duke, Superduke	04>	525 - 108	17-38	4059 K	16•17	2104 C 2104 THF	38÷41 38•39•40
1190 RC8	08	525 - 116	17-37	4059 K	16•17	2104 C 2104 THF	38÷41 38•39•40

Kymco

125 Pulsar, Sector	>97	428	15-39	264 K	14÷16	269	34•35•39•40÷43•47÷49•51
125 Sector	98>	428	15-39	264 K	14÷16	269	34•35•39•40÷43•47÷49•51



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	
125 Zing, Meteorit	98>	428 - 124	16-41	264 K	14÷16	269	34•35•39•40÷43•47÷49•51

Malaquti

50 Fifty CX Full, NL	87>92	415 104	13-32	135	11÷14	3	26•28•30•32•34•36•40•44•48•5
50 Fifty Evolution	89>92	415 124	13-32	135	11÷14	3	26•28•30•32•34•36•40•44•48•5
50 Fifty HF NL - Mix - Top	91>93	415 104	13-32	135	11÷14	3	26•28•30•32•34•36•40•44•48•5
50 Fifty Top 3MV - AE	91>98	415 120	13-37	589	11÷15	598	37
50 MEX-MRX-MDX-MLX	87>91	415 126	13-48	588	11÷15	319	40•42•44•48•50•52
50 NL	90>98	415 110	14-34	135	11÷14	3	26•28•30•32•34•36•40•44•48•5
50 XTM	03>	420 - 126	11-48	4038	10÷15	2075 C	42•45•48•53
50 XSM	03>	420 - 124	11-45	4038	10÷15	2075 C	42•45•48•53
125 X3M ENDURO	07>08	428 -	14-50	263 K	14÷16	2106 E	48•50•54•56•60•62
125 X3M MOTARD	07>08	428 -	14-48	263 K	14÷16	2106 E	48•50•54•56•60•62

MBK

50 X Limit	00>	420 - 128	12-52	4038	10÷15	2078 C	52
50 X Limit Supermotard	03>04	420 - 126	11-45			832	38•40•42÷46•48•52
50 X Power	96>99	428 130	12-47	4035 K	11÷13	835	45÷49•52
X Power #420		420 -		4038	10÷15	2051	47
50 X Power	04	428 130	12-47	4035 K	11÷13	835	45÷49•52

Moto TM

125 MX 125	00>01	520 - 120	13-52	4045 K	12•13	2068 E	49÷52
125 MX 125	02>04	520 - 114	13-51			2068 E	49÷52
125 EN 125	00>01	520 - 116	13-52	4045 K	12•13	2068 E	49÷52
250 MX 250 F	'02	520 - 114	13-51	4046 K	13•14	2068 E	49÷52
250 MX 250 F (03), EN 250 F (>00)		520 - 114	13-50	4046 K	13•14	2068 E	49÷52
250 MX, EN	00>01	520 - 116	13-52	4046 K	13•14	2068 E	49÷52
300 MX, EN	01>02	520 - 116	13-52	4046 K	13•14	2068 E	49÷52
300 MX	03	520 - 114	13-51	4046 K	13•14	2068 E	49÷52
300 EN	03	520 - 114	13-50	4046 K	13•14	2068 E	49÷52

MV AGUSTA

750 BRUTALE	03-05	520 -	14-41	4069 KM	14•15	2120 ED	41
910 BRUTALE	05>07	525 -	15-43	4069 K	14•15	2108 ED	39÷43
BRUTALE #520		520 -		4069 KM	14•15	2108 EMD	39÷43
1000 F4R	06>07	525 -	15-40	4069 K	14•15	2108 ED	39÷43
F4R #520		520 -		4069 KM	14•15	2108 EMD	39÷43
1000 F4RR 312R	07	525 -	15-40	4069 K	14•15	2108 ED	39÷43
F4RR 312R #520		520 -		4069 KM	14•15	2108 EMD	39÷43
1000 F4	04>06	525 -	15-40	4069 K	14•15	2108 ED	39÷43
F4 #520		520 -		4069 KM	14•15	2108 EMD	39÷43
1000 F4 100 C	07	525 -	15-39	4069 K	14•15	2108 ED	39÷43
FA100 C #520		520 -		4069 KM	14•15	2108 EMD	39÷43

MZ

125 RT (Spokewheels)		428	16-49	558 K	13÷18		
125 SM-C	03>	428	16-49	558 K	13÷18		
600 Sport Cup	97>98	520 - 108	15-39	577 K	14•15	18 C	38•39•43•45•46
660 Bagheera	97>	520 -	15-45	577 K	14•15	857 C	38÷42•45÷47•50
660 Mastiff	99>	520 -	15-45	577 K	14•15	857 C	38÷42•45÷47•50
660 Skorpion Sport	97>	520 -	15-39	577 K	14•15	18 C	38•39•43•45•46
660 Skorpion Tour	97>98	520 - 110	15-43	577 K	14•15	18 C	38•39•43•45•46
660 Skorpion Traveller	97>98	520 XSO 108	15-39	577 K	14•15	18 C	38•39•43•45•46

Peugeot

50 XP6, XP SM	99>01	420 - 126	12-52	4038	10÷15	2076 C	46•52
50 XP LC	87>90	428 136	16-48	364 K	16•17	357	48
50 XP 6	02>03	420 -	12-52	4038	10÷15	2035	48•50•52•53
50 XP 6 END	04>06	420 - 126	11-52	4038	10÷15	2075 C	42•45•48•53
50 XP 6 SM	04>05	420 - 126	11-52	4038	10÷15	2075 C	42•45•48•53
50 XP S END	04>05	420 - 126	11-52	4038	10÷15	2075 C	42•45•48•53
50 XP S SM	04>05	420 - 126	11-52	4038	10÷15	2075 C	42•45•48•53
50 XP S STREET SM	04>05	420 - 126	11-52	4038	10÷15	2059	52
50 XR 6	01>	420 -	12-52	4038	10÷15		

Suzuki

50 APX 50 ER Auto France	85>89	420 - 114	12-49	429	12•14	801	38•43•46•47•49•51•54
50 GT 50 K (B, N, X)	77>80	420 - 112	12-46	562	10÷16	801	38•43•46•47•49•51•54
50 OR 50 ET	80	420 - 98	13-43	562	10÷16	801	38•43•46•47•49•51•54
50 RMX 50	96>98	420 -	12-50	413	12	2037	50
50 TS 50 ERK	80>84	420 - 114	12-49	562	10÷16	801	38•43•46•47•49•51•54
50 TS 50 W (D > P)	83>93	420 - 120	12-46	413	12	801	38•43•46•47•49•51•54
50 TS 50 X AM France	90>93	420 - 130	12-51	429	12•14	801	38•43•46•47•49•51•54



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model		Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
					T10-90-		T10-80-	
50	TS 50 XK (E > T)	84>98	420 - 126	12-51	413	12	801	38*43*46*47*49*51*54
50	TV 50	94>95	420 - 116	12-43	413	12	801	38*43*46*47*49*51*54
50	ZR 50 SK (E, F, X, H)	83>90	420 - 112	11-46	562	10÷16	801	38*43*46*47*49*51*54
60	RM 60	03>04	420 - 104	13-44	560 K 560 KC	12÷16 13*14	464 E	44*47
65	RM 65	03> 07	420 - 112	13-47	560 K 560 KC	12÷16 13*14	2101 E	47÷50
80	RG 80 Gamma	84>93	428 130	15-47	425 K	14÷16	810	41÷43*47÷49*51
80	RG 80 Gamma (Germany)	85>94	428 130	15-49	425 K	14÷16	810	41÷43*47÷49*51
80	RM 80	89>01	428 - 118	14-48	416 K	12÷16	2066 E	47÷52
80	RM 80 Big Wheels	89>01	428 - 118	13-48	416 K	12÷16	2066 E	47÷52
80	TS 80 ER (X, Z)	81>82	428 114	14-42	428 K	14	802	42*43
80	TS 80 X	84>87	428 120	14-42	425 K	14÷16	802	42*43
85	RM 85	02> 08	428 - 118	14-47	416 K	12÷16	2066 E	47÷52
85	RM 85 Big Wheels	02> 08	428 - 118	13-47	416 K	12÷16	2066 E	47÷52
100	RM 100	03>04	420 - 124	13-51	560 K 560 KC	12÷16 13*14	2065 E 2065 C	47÷53 49*54
100	TS 100 ERN (T, X)	80>82	428 - 114	14-44	416 K	12÷16	809	44*53
100	DRZ 100	03>04	420 - 86	14-33	249	16	801	38*43*46*47*49*51*54
125	DR 125 S / SE	85>99	428 H 134	16-53	409 K	16	809	44*53
125	GN 125 (M > W)	91>98	428 - 114	14-41	426 K	14*15	810	41÷43*47÷49*51
125	GN 125 E/R (M > W)	91>98	428 - 114	14-42	426 K	14*15	810	41÷43*47÷49*51
125	GN 125 W	97>98	428 - 124	14-41	4037 K	14*15	810	41÷43*47÷49*51
125	GP 125 (C > X)	80>95	428 - 118	15-41	416 K	12÷16	810	41÷43*47÷49*51
125	GS 125 Z/D-ESZ	83>97	428 H 116	14-43	426 K	14*15	810	41÷43*47÷49*51
125	GZ 125 Marauder (W, X)	98>06	428 H 132	15-45	4037 K	14*15	2052	45
125	RG 125 U Gamma	86>92	428 - 128	15-42	416 K	12÷16	810	41÷43*47÷49*51
125	RG 125 F Gamma (P > T)	92>96	428 - 130	16-47	425 K	14÷16	2012	47*56
125	RM 125	83>87	520 - 114	12-51	427 K 427 KC	11÷13 12*13	808 EC	47÷52
125	RM 125	88>91	520 - 114	13-51	427 K 427 KC	11÷13 12*13	808 EC	47÷52
125	RM 125 (N > T)	92>96	520 - 114	12-49	427 K 427 KC	11÷13 12*13	808 EC	47÷52
125	RM 125 (V, W, X)	97>99	520 - 114	12-50	427 K 427 KC	11÷13 12*13	808 EC	47÷52
125	RM 125	00>04	520 - 114	12-49	427 K 427 KC	11÷13 12*13	808 EC 808 C 808 ESM	47÷52 41÷44 41÷46
125	RM 125	05	520 - 114	12-50	427 K 427 KC	11÷13 12*13	808 EC 808 C 808 ESM	47÷52 41÷44 41÷46
125	RM 125	06> 08	520 - 114	12-51	427 K 427 KC	11÷13 12*13	808 EC 808 C 808 ESM	47÷52 41÷44 41÷46
125	RV VAN VAN	03>06	428H 134	15-51	425 K	14÷16	810	41÷43*47÷49*51
125	TS 125 ERN-ERT-ERX	80>85	428 - 118	15-44	416 K	12÷16	809	44*53
125	TS 125 R (K > T) SF15A	90>96	428 - 130	15-50	425 K	14÷16	805	45*50
125	TS 125 X (E > J)	84>91	428 - 126	14-50	416 K	12÷16	803	50
125	VL 125 Intruder	00>06	428 - 142	14-56	4037 K	14*15	2012	47*56
250	DR 250	88>89	520 - 110	15-48	434 K	15*16	825 C	37*45*48
250	DR 250 (L > P) (90>93) DRZ 250 (>04)		520 - 112	13-49	432 K 432 KC	11÷15 13÷15	808 EC 808 C 808 ESM	47÷52 41÷44 41÷46
250	GN 250 (F > W) NJ42A	82>98	520 - 100	15-41	434 K	15*16	819 C	41
250	GT 250 X 7	79>85	520 - 102	15-41	430 K	15	819 C	41
250	GZ 250 Marauder (X)	99>06	520 - 110	15-41	434 K	15*16	819 C	41
250	RG 250 Gamma (F, G, H)	85>88	520 KS 110	14-39	436 K	14	819 C	41
250	RGV 250 (K, L) VJ21A	89>90	520 - 114	15-46	565 K	11÷16	817 C	46
250	RGV 250 (M > S) VJ22B	91>96	520 - 114	14-43	565 K	11÷16	822 C	41*43
250	RM 250	86>88	520 - 116	14-51	432 K 432 KC	11÷15 13÷15	808 EC	47÷52
250	RM 250 (K > T)	89>96	520 - 114	13-49	432 K 432 KC	11÷15 13÷15	808 EC	47÷52
250	RM 250 (V, W, X)	97>00	520 - 114	13-50	432 K 432 KC	11÷15 13÷15	808 EC	47÷52
250	RM 250	01>03	520 - 114	13-49	432 K 432 KC	11÷15 13÷15	808 EC 808 C 808 ESM	47÷52 41÷44 41÷46
250	RM 250	04>07	520 - 114	13-50	432 K 432 KC	11÷15 13÷15	808 EC 808 C 808 ESM	47÷52 41÷44 41÷46
250	RMX 250 (K > W)	89>00	520 - 114	13-50	432 K 432 KC	11÷15 13÷15	808 EC	47÷52



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
250 RM-Z 250 E - 4T	04>06	520 - 114	13-48	4062 K 4062 KC	12÷14 12÷14	460 EC 460 ESM	47÷53 42÷46
250 RM-Z 250 E - 4T	07> 08	520 - 112	12-48	427 K 427 KC	11÷13 12÷13	808 EC 808 C 808 ESM	47÷52 41÷44 41÷46
250 TS 250 X (E > K)	85>89	520 - 112	13-48	432 K	11÷15	828 C	42÷47•48
250 TU 250 X	97>00	520 -	15-41	434 K	15÷16	819 C	41
250 VL 250 Intruder	00>06	520 - 114	15-43	434 K	15÷16	2062 C	43
350 DR 350 S (L > P) SK42B	90>93	520 - 108	14-43	432 K 432 KC	11÷15 13÷15	822 C	41•43
350 DR 350 SE (R, S)	94>95	520 - 110	15-41	432 K 432 KC	11÷15 13÷15	822 C	41•43
350 DR 350 SE (T > X)	97>01	520 - 108	15-43	432 K 432 KC	11÷15 13÷15	808 C 808 EC 808 ESM	41÷44 47÷52 41÷46
400 DRZ 400 E	03> 08	520 - 112	14-47	432 K 432 KC	11÷15 13÷15	808 EC 808 C 808 ESM	47÷52 41÷44 41÷46
400 DRZ 400 S	00> 08	520 - 112	15-44	432 K 432 KC	11÷15 13÷15	808 C 808 ESM 808 EC	41÷44 41÷46 47÷52
400 DRZ 400 SM	05> 08	520 - 112	15-41	432 K 432 KC	11÷15 13÷15	808 ESM 808 EC 808 C	41÷46 47÷52 41÷44
400 GSF 400 Bandit (M > N)	91>92	525 - 114	14-47	433 K	14•16	807 C 807 E	44÷47•48•49 44•45
400 GSF 400 Bandit (P, R, S)	93>96	525 - 114	14-46	433 K	14•16	807 C 807 E	44÷47•48•49 44•45
400 GSX R 400 (J,R,K) GK73A	88>89	525 - 108	14-45	433 K	14•16	807 C 807 E	44÷47•48•49 44•45
400 GSX 400 ET, EX (Twin)	81>83	530 - 104	16-44	566 K	14÷17	814 C	42•44•45
400 GSX 400 TX	81>85	530 - 104	16-42	566 K	14÷17	814 C	42•44•45
400 GSX 400 X Impulse GK71E	86	525 - 110	14-46	433 K	14•16	807 C 807 E	44÷47•48•49 44•45
400 GSX 400 (F>L) GK74A	88>90	525 - 114	14-49	433 K	14•16	807 C 807 E	44÷47•48•49 44•45
400 GSX R 400 R (L,M,N) GK76A	90>92	525 - 108	14-44	433 K	14•16	807 C 807 E	44÷47•48•49 44•45
400 GSX 400 EZ - GK 51/53C	82>87	530 - 110	16-45	566 K	14÷17	814 C	42•44•45
400 GSX 400 XS Impulse	88>93	525 - 114	14-46	433 K	14•16	2023 C	46
450 GS 450 E/S	80>82	530 - 104	16-45	566 K	14÷17	814 C	42•44•45
450 GS 450 L (F > J)	85>88	530 - 108	16-42	566 K	14÷17	814 C	42•44•45
450 RMZ 450	05	520 - 114	14-49	4068 K	13÷15	808 EC 808 ESM 808 C	47÷52 41÷46 41÷44
450 RMZ 450	06>07	520 - 114	14-48	4075 K	13÷15	808 EC 808 ESM 808 C	47÷52 41÷46 41÷44
450 RMZ 450	08	520 - 114	13-50	4075 K	13÷15	808 EC 808 ESM 808 C	47÷52 41÷46 41÷44
500 DR 500 S/R	81>86	520 - 106	15-45	434 K	15•16	825 C	37•45•48
500 GS 500 E (K > R)	90>93	520 - 112	16-39	565 K	11÷16	823 C	39•44
500 GS 500 E - F	94> 08	520 - 112	16-39	512 K	15÷17	823 C	39•44
550 GS 550 E/L/M/T	78>82	530 - 110	15-50	566 K	14÷17	816 C 816 THF	38•41÷45•46•48•50 41÷48
550 GS 550 E/ES	83>88	530 - 112	14-48	566 K	14÷17	816 C 816 THF	38•41÷45•46•48•50 41÷48
550 GSX 550 E/S (D > G)	83>87	530 - 112	14-46	566 K	14÷17	816 C 816 THF	38•41÷45•46•48•50 41÷48
600 DR 600 S/R - SN41A	85>89	520 - 108	16-42	437 K	15•16	828 C	42•47•48
600 GSF 600 S Bandit	95>99	530 - 110	15-47	566 K	14÷17	829 THF 829 C	42÷48 42÷48
600 GSF 600 S Bandit	00>04	530 - 112	15-47	566 K	14÷17	829 THF 829 C	42÷48 42÷48
600 GSR 600	06> 08	525 - 112	15-48	520 K	15÷17	2061 THF 2061 C 2061 ED	41÷50 41÷48 42•43
GSR 600 #520		520 -		520 KM	14÷17	2061 EMD	41÷50
600 GSX 600 F Katana (J)	88	530 - 112	14-46	566 K	14÷17	824 C	40•46
600 GSX 600 F (K, L, M) - GN72B	89>91	530 - 112	14-46	566 K	14÷17	829 THF 829 C	42÷48 42÷48
600 GSX 600 F (N > V)	92>97	530 - 112	14-45	566 K	14÷17	829 THF 829 C	42÷48 42÷48



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	
600 GSX 600 F	98>06	530 - 118	15-47	566 K	14÷17	829 THF 829 C	42÷48 42÷48
600 GSX-R 600 (V)	97	525 - 108	16-45	520 K	15÷17	498 THF 498 C 498 ED	38÷40•44÷46 38÷40•44÷46 44÷46
GSX-R 600 (V) #520		520 -		520 KM	14÷17	499 EMD	40÷47
600 GSX-R 600 (W)	98>00	525 - 108	16-46	520 K	15÷17	498 THF 498 C 498 ED	38÷40•44÷46 38÷40•44÷46 44÷46
GSX-R 600 (W) #520		520 -		520 KM	14÷17	499 EMD	40÷47
600 GSX-R 600	01>03	525 - 110	16-45	520 K	15÷17	2061 THF 2061 C 2061 ED	41÷50 41÷48 42•43
GSX-R 600 #520		520 -		520 KM	14÷17	2061 EMD	41÷50
600 GSX-R 600	04>05	525 - 112	16-45	520 K	15÷17	2061 THF 2061 C 2061 ED	41÷50 41÷48 42•43
GSX-R 600 #520		520 -		520 KM	14÷17	2061 EMD	41÷50
600 GSX-R 600	06>08	525 - 112	16-43	520 K	15÷17	2061 THF 2061 C 2061 ED	41÷50 41÷48 42•43
GSX-R 600 #520		520 -		520 KM	14÷17	2061 EMD	41÷50
600 RF 600 R (P, R) - GN76A	93>94	530 - 108	14-43	566 K	14÷17	829 THF 829 C	42÷48 42÷48
600 RF 600 R (S > W)	95>98	530 - 108	14-42	566 K	14÷17	829 THF 829 C	42÷48 42÷48
650 DR 650 R/SE - SP43/44B	90>95	520 - 114	16-42	437 K	15•16	828 C	42•47•48
650 DR 650 SE (S > X)	96>08	525 - 110	15-41	4011 K	15	2032 C	41÷43
650 GSF 650 Bandit, S	05>06	530 - 112	14-47	566 K	14÷17	829 THF 829 C	42÷48 42÷48
650 GSF 650 Bandit, S	07>08	525 - 118	15-48	520 K	15÷17	807 C 807 E	44÷47•48•49 44•45
GSF 650 Bandit, S #520		520 -		520 KM	14÷17	807 EM	44÷48
650 SV 650	99>06	525 - 110	15-45	520 K	15÷17	807 C 807 E	44÷47•48•49 44•45
SV 650 #520		520 -		520 KM	14÷17	807 EM	44÷48
650 SV 650	07>08	525 - 114	15-45	520 K	15÷17	807 C 807 E	44÷47•48•49 44•45
SV 650 #520		520 -		520 KM	14÷17	807 EM	44÷48
650 SV 650 S	99>07	525 - 108	15-44	520 K	15÷17	807 C 807 E	44÷47•48•49 44•45
SV 650 S #520		520 -		520 KM	14÷17	807 EM	44÷48
650 SV 650 S	08	525 -	-44			807 C 807 E	44÷47•48•49 44•45
SV 650 S #520		520 -				807 EM	44÷48
650 V - STROM 650 DL K4	04>07	525 - 116	15-47	520 K	15÷17	2061 THF 2061 C 2061 ED	41÷50 41÷48 42•43
V - STROM 650 DL K4 #520		520 -		520 KM	14÷17	2061 EMD	41÷50
650 V - STROM 650 DL K8	08	525 - 118	15-47	520 K	15÷17	2061 THF 2061 C 2061 ED	41÷50 41÷48 42•43
V - STROM 650 DL K4 #520		520 -		520 KM	14÷17	2061 EMD	41÷50
650 XF 650 Freewind	97>01	525 - 110	15-43	4011 K	15	2032 C	41÷43
750 DR 750 S (J) Big	88	520 - 116	15-48	438 K	15	825 C	37•45•48
750 DR 750 S (K) Big - SR41B	89	520 - 116	15-48	438 K	15	828 C	42•47•48
750 GS 750 E/L/S/T	77>83	630 V 96	15-41	518 K	13÷15	818 C	41•42
750 GSX 750 E/ES/EF	80>89	530 - 114	14-43	566 K	14÷17	816 C 816 THF	38•41÷45•46•48•50 41÷48
750 GSX 750 F	89>96	530 - 118	15-47	566 K	14÷17	829 THF 829 C	42÷48 42÷48
750 GSX 750 F (W-K1-K2)	98>06	530 - 116	15-45	566 K	14÷17	829 THF 829 C	42÷48 42÷48
750 GSX 750 S	80>84	630 V 96	15-41	518 K	13÷15	818 C	41•42
750 GSX R 750	85>87	530 - 106	14-42	566 K	14÷17	829 THF 829 C	42÷48 42÷48
750 GSX R 750	88>89	530 - 108	15-44	566 K	14÷17	829 THF 829 C	42÷48 42÷48
750 GSX R 750	90>91	530 - 108	15-43	566 K	14÷17	816 THF 816 C	41÷48 38•41÷45•46•48•50
750 GSX R 750W	92>93	530 - 108	15-42	566 K	14÷17	816 THF 816 C	41÷48 38•41÷45•46•48•50
750 GSX-R 750 SP	94>95	530 - 108	16-41	566 K	14÷17	816 THF 816 C	41÷48 38•41÷45•46•48•50



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
750 GSX-R 750 V	96>97	530 - 108	16-43	566 K	14÷17	499 THF 499 ED	38÷40•43 38•39•43•44
GSX-R 750 V #520		520 -		566 KM	14÷17	499 EMD	40÷47
750 GSX-R 750 W	98>99	525 - 108	16-45	520 K	15÷17	498 THF 498 C 498 ED	38÷40•44÷46 38÷40•44÷46 44÷46
GSX-R 750 W #520		520 -		520 KM	14÷17	499 EMD	40÷47
750 GSX R 750	00>05	525 - 110	17-42	520 K	15÷17	2061 THF 2061 C 2061 ED	41÷50 41÷48 42•43
GSX R 750 #520		520 -		520 KM	14÷17	2061 EMD	41÷50
750 GSX R 750	06>08	525 - 110	17-45	520 K	15÷17	2061 THF 2061 C 2061 ED	41÷50 41÷48 42•43
GSX R 750 #520		520 -		520 KM	14÷17	2061 EMD	41÷50
800 DR 800 S Big (K, L)	89>90	520 - 116	15-48	438 K	15	828 C	42•47•48
800 DR 800 S Big (M, N, P)	91>93	520 - 116	15-47	438 K	15	828 C	42•47•48
800 DR 800 S Big (R, S, T)	94>96	525 - 116	15-47	4011 K	15	2025 C	47
800 RF 900 R-RZ (R > W)	94>00	532 - 110	15-43	440 K	14÷16	827 C 827 THF	42÷44•48•52 42÷44•48
RF 900 R-RZ (R > W) #530		530 -		566 K	14÷17	816 THF 816 C	41÷48 38•41÷45•46•48•50
800 VZ 800 Marauder (V, W, X)	97>04	530 - 116	15-48	566 K	14÷17	829 THF 829 C	42÷48 42÷48
1000 DL 1000 V-Strom	02>08	525 - 112	17-41	520 K	15÷17	2061 THF 2061 C 2061 ED	41÷50 41÷48 42•43
DL 1000 V-Strom #520		520 -		520 KM	14÷17	2061 EMD	41÷50
1000 GS 1000 E/L/S	78>82	630 V 96	15-42	518 K	13÷15	818 C	41•42
1000 GSX 1000 All	82>84	630 V 96	15-42	518 K	13÷15	818 C	41•42
1000 GSX-R 1000	01>06	530 - 110	17-42	566 K	14÷17	2079 THF 2079 C 2079 ED	40÷43 40÷43•44 42•43
GSX-R 1000 #520		520 -		566 KM	14÷17	2061 EMD	41÷50
1000 GSX-R 1000	07>08	530 - 112	17-43	566 K	14÷17	2079 THF 2079 C 2079 ED	40÷43 40÷43•44 42•43
GSX-R 1000 #520		520 -		566 KM	14÷17	2061 EMD	41÷50
1000 SV 1000 - S	03> 06	530 - 108	17-40	566 K	14÷17	2079 THF 2079 C 2079 ED	40÷43 40÷43•44 42•43
SV 1000 - S #520		520 -		566 KM	14÷17	2061 EMD	41÷50
1000 TL 1000 R (W, X)	98>02	530 - 108	17-39	566 K	14÷17	499 THF 499 ED	38÷40•43 38•39•43•44
TL 1000 R (W, X) #520		520 -		566 KM	14÷17	499 EMD	40÷47
1000 TL 1000 S (V, W)	97>02	530 - 104	17-38	566 K	14÷17	499 THF 499 ED	38÷40•43 38•39•43•44
TL 1000 S (V, W) #520		520 -		566 KM	14÷17	499 EMD	40÷47
1100 GS 1100 E/L/ES	80>83	630 V 96	15-42	518 K	13÷15	818 C	41•42
1100 GSX 1100 E/S	80>85	630 V 98	15-42	518 K	13÷15	818 C	41•42
1100 GSX 1100 EF/EG	84>86	630 YLS 102	15-42	518 K	13÷15	818 C	41•42
1100 GSX 1100 F (JP)	88	532 - 118	15-52	440 K	14÷16	827 C 827 THF	42÷44•48•52 42÷44•48
GSX 1100 F (J) #530		530 -		566 K	14÷17	816 C 816 THF	38•41÷45•46•48•50 41÷48
1100 GSX 1100 F (K,L,M,P)	89>93	532 - 122	15-52	440 K	14÷16	827 C 827 THF	42÷44•48•52 42÷44•48
GSX 1100 F (K,L,M,P) #530		530 -		566 K	14÷17	816 C 816 THF	38•41÷45•46•48•50 41÷48
1100 GSX-R 1100 (G, H, J)	86>88	532 - 114	14-46	440 K	14÷16	830 C	46
GSX-R 1100 (G, H, J) #530		530 -		566 K	14÷17	829 THF 829 C	42÷48 42÷48
1100 GSX-R 1100 (K, L, M, N)	89>92	532 - 118	15-48	440 K	14÷16	827 THF 827 C	42÷44•48 42÷44•48•52
GSX-R 1100 (K, L, M, N) #530		530 -		566 K	14÷17	816 THF 816 C	41÷48 38•41÷45•46•48•50
1100 GSX-R 1100 (P, R)	93>94	532 - 114	15-42	440 K	14÷16	827 C 827 THF	42÷44•48•52 42÷44•48
GSX-R 1100 (P, R) #530		530 -		566 K	14÷17	816 THF 816 C	41÷48 38•41÷45•46•48•50
1100 GSX-R 1100 (S > W)	95>98	532 - 116	16-44	440 K	14÷16	827 THF 827 C	42÷44•48 42÷44•48•52
GSX-R 1100 (S > W) #530		530 -		566 K	14÷17	816 THF 816 C	41÷48 38•41÷45•46•48•50



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
				T10-90-		T10-80-	
1200 GSF 1200 S Bandit (T, V, W, S)	96>05	530 - 110	15-45	566 K	14÷17	816 THF 816 C	41÷48 38•41÷45•46•48•50
1200 GSX 1200 (X-K1)	99>04	530 - 112	15-44	566 K	14÷17	816 THF 816 C	41÷48 38•41÷45•46•48•50
1300 GSX-R 1300 Hayabusa (X)	99>08	530 - 112	17-40	566 K	14÷17	499 THF 499 ED	38÷40•43 38•39•43•44
1400 GSX 1400	01>08	530 - 116	18-41	513 K	15•16•18	2086 THF	41

Triumph

600 Speedfour, Daytona	04	525 - 108	15-45	4023 K	14•15	2070 C 2070 ED	42÷45 41÷44
600 TT 600 (00>03) Speedbaby		525 - 106	15-42	4023 K	14•15	2070 C 2070 ED	42÷45 41÷44
675 Daytona	06>08	525 - 116	16-47	520 K	15÷17	2116 THF	47•48
Daytona #520		520 -		520 KM	14÷17	2116 EMD	42÷50
750 Daytona (91>98) Trident (91>95)		530 - 114	17-48	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
800 Bonneville	01>	525 - 114	17-43	4057 K	16÷18	2070 C 2070 ED	42÷45 41÷44
800 Bonneville America	02>	525 - 112	17-42	4057 K	16÷18	344 C	38•40÷43•45•46
800 Speedmaster	04	525 - 112	16-42	4057 K	16÷18	344 C	38•40÷43•45•46
865 Scambler	06>08	525 - 106	18-43	4057 K	16÷18	2070 C 2070 ED	42÷45 41÷44
900 Adventurer	96>01	530 - 112	17-43	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
900 Daytona 955i	99>03	530 - 106	19-42	4016 K	17÷19	2046 THF 2046 C	42•43 42•43
900 Daytona T595 (97>99) Speed T509		530 - 108	18-43	4016 K	17÷19	2046 THF 2046 C	42•43 42•43
900 Legend (98÷01) Sprint ST955 (99÷01)		530 - 116	18-43	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
900 Sprint (93>98) Thunderbird (95÷97)		530 - 112	17-46	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
900 Sprint RS	99>04	530 - 116	18-43	4016 K	17÷19	2079 THF 2079 C 2079 ED	40÷43 40÷43•44 42•43
900 Sprint ST955	02>04	530 - 118	19-43	4016 K	17÷19	2046 THF 2046 C	42•43 42•43
900 Thunderbird	98>04	530 - 114	17-43	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
900 Trophy	91>92	530 - 112	17-46	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
900 Trophy	93>98	530 - 110	17-44	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
900 Thruxton	04>08	525 - 112	18-43	4057 K	16÷18	2061 THF 2061 C 2061 ED	41÷50 41÷48 42•43
955 Daytona(91>97) 885 Trophy(91>92) Trident (93>98)		530 - 112	17-46	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
955 Speed Triple (94>97) Thunderbird (98>04)		530 - 110	17-43	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
955 Speed Triple (02>04) Daytona 955 i (04)		530 - 106	18-42	4016 K	17÷19	2046 THF 2046 C	42•43 42•43
955 Tiger	93>99	530 - 112	18-48	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
900 Tiger T955i	00>02	530 - 114	18-46	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
1000 Daytona	91>92	530 - 112	17-46	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
1000 Daytona	93	530 - 110	17-43	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
1000 Speed Triple	05>08	530 - 106	18-42	4016 K	17÷19	2046 THF 2046 C	42•43 42•43
1050 Tiger	07	530 - 110	18-42	4016 K	17÷19	2046 THF 2046 C	42•43 42•43
1200 Daytona	91>93	530 - 110	18-43	4016 K	17÷19	334 THF	39÷46•48
1200 Daytona	94>97	530 - 110	17-42	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
1200 Trophy	91>92	530 - 114	18-45	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
1200 Trophy	93>99	530 - 110	18-44	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48
1200 Trophy	00>02	530 - 110	19-40	4016 K	17÷19	334 THF 334 C	39÷46•48 39÷46•48



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	

VOR

400	EN 400	02	520 - 114	13-48	4056 K	13•14	2072 E 2072 ESM	45÷48•51•52 40÷44
530	EN 530	02	520 - 114	13-48	4056 K	13•14	2072 E 2072 ESM	45÷48•51•52 40÷44
530	MX 530	02	520 - 114	14-48	4056 K	13•14	2072 E 2072 ESM	45÷48•51•52 40÷44
530	SM 530	02	520 - 114	14-40	4056 K	13•14	2072 ESM	40÷44

Yamaha

50	DT 50	03>	420 - 126	11-48	4038	10÷15	2075 C	42•45•48•53
50	DT 50 #428	03>	428 126	11-48	4035 K	11÷13	2106 E	48•50•54•56•60•62
50	DT 50 - SM	03>	420 - 124	11-45	4038	10÷15	2075 C	42•45•48•53
50	DT 50 SM #428	03>	428 126	11-48	4035 K	11÷13	2106 E	48•50•54•56•60•62
50	DT 50 - RSM	03>05	420 -	12-48	4038	10÷15	2075 C	42•45•48•53
50	DT 50 MX France	81>85	420 - 106	13-42	562	10÷16	832	38•40•42÷46•48•52
50	DT 50 MX-MX-S	83>95	420 - 112	11-48	562	10÷16	832	38•40•42÷46•48•52
50	DT 50 R-MX-S Germany	86>94	420 - 122	10-48	562	10÷16	832	38•40•42÷46•48•52
50	DT 50 R	91>95	420 - 116	13-38	560 K 560 KC	12÷16 13•14	832	38•40•42÷46•48•52
50	DT 50 R Vitesse	96	420 - 116	10-52	562	10÷16	832	38•40•42÷46•48•52
50	DT 50 R X-Limit	97>	420 - 128	12-52	4038	10÷15	832	38•40•42÷46•48•52
50	LB 50 2M Chappy	85>95	420 - 94	14-32	560 K 560 KC	12÷16 13•14	834	32•37•39•41•48
50	RD 50 M-MX	79>88	420 - 106	12-48	562	10÷16	834	32•37•39•41•48
50	TY 50 M	78>81	420 - 104	12-45	562	10÷16	832	38•40•42÷46•48•52
50	TZR 50 RR	03>04	420 - 130	11-47	4038	10÷15	2051	47
50	TZR 50 X-Power	96>06	420 - 130	12-47	4038	10÷15	2051	47
	TZR 50 X-Power #428		428		4035 K	11÷13	835	45÷49•52
80	DT 80 MX	81>83	420 - 108	13-41	562	10÷16	832	38•40•42÷46•48•52
80	DT 80 LC2	85>94	428 126	15-51	550 K	15•16	843	49÷51•53
80	FZR 80 RR	92>94	428	14-45	555 K	14	835	45÷49•52
80	LB 80 pitchppy	85>89	420 - 90	15-32	560 K 560 KC	12÷16 13•14	834	32•37•39•41•48
80	PW 80 4B C1, 4 C3	86>99	420 - 108	15-32	546	14•15	834	32•37•39•41•48
80	RD 80 LC1	82	420 - 108	15-48	546	14•15	834	32•37•39•41•48
80	RD 80 LC2	83>85	420 - 108	14-48	555 K	14	835	45÷49•52
80	RD 80 MX	82>85	420 - 108	13-41	562	10÷16	834	32•37•39•41•48
80	TZR 80	92>95	428 126	14-48	555 K	14	835	45÷49•52
80	TZR 80 RR	96	428 126	15 46	263 K	14÷16	835	45÷49•52
80	YZ 80	93>02	428 - 118	14-47	416 K	12÷16	2066 E	47÷52
85	YZ 85	02>08	428 - 122	14-47	558 K	13÷18	2066 E	47÷52
100	RXS 100	85>95	428 110	15-36	416 K	12÷16	838	36•39
100	YB 100	79>92	420 - 98	15-37	560 K 560 KC	12÷16 13•14	834	32•37•39•41•48
125	DT 125 MX	76>82	428 118	15-49	416 K	12÷16	843	49÷51•53
125	DT 125 LC1	84>87	428 118	15-49	263 K	14÷16	843	49÷51•53
125	DT 125 LC2-3/R	85>88	428 126	16-53	263 K	14÷16	843	49÷51•53
125	DT 125 LC	88	428 128	16-50	264 K	14÷16	842	45•50•52
125	DT 125 R1-2	89>92	428 134	17-55	558 K	13÷18	839	52•53•55•57
125	DT 125 R France	92>95	428 134	17-57	558 K	13÷18	839	52•53•55•57
125	DT 125 R3	93>01	428 134	16-57	558 K	13÷18	839	52•53•55•57
125	DT 125 Ténéré	89>92	428 126	16-50	264 K	14÷16	843	49÷51•53
125	DT 125 X	05	428 134	14-57	558 K	13÷18	839	52•53•55•57
125	RD 125 DX - 1E7	80>81	428 112	15-39	416 K	12÷16	838	36•39
125	RD 125 LC1	82>85	428 118	16-46	263 K	14÷16	835	45÷49•52
125	RD 125 LC2/YPVS - 10W	85>87	428 118	16-45	263 K	14÷16	835	45÷49•52
125	RDZ 125 LC	87>89	428 118	16-45	263 K	14÷16	835	45÷49•52
125	RS 125 DX	76>84	428 110	15-36	416 K	12÷16	838	36•39
125	SR 125 SE	83>90	428 120	14-49	263 K	14÷16	843	49÷51•53
125	SR 125 SE Custom - 3MW	91>96	428 120	14-49	263 K	14÷16	835	45÷49•52
125	SR 125 Spain	92>97	428 - 120	13-49	4022 K	13	835	45÷49•52
125	TDR 125 Italy	89>91	428 - 132	16-52	558 K	13÷18	839	52•53•55•57
125	TDR 125 R	92>95	428 - 130	16-51	558 K	13÷18	2014	47•51•55•57
125	TDR 125 R - 4GX	93>99	428 - 136	16-57	558 K	13÷18	2014	47•51•55•57
125	TW 125	99>04	428 - 122	14-50	4042 K	14	842	45•50•52
125	TY 125	88>89	428 120	13-52	416 K	12÷16	842	45•50•52
125	TZR 125	88>90	428 - 130	16-45	263 K	14÷16	835	45÷49•52
125	TZR 125 R	92>93	428 - 136	17-47	558 K	13÷18	2014	47•51•55•57
125	TZR 125 R	93>97	428 - 140	16-46	558 K	13÷18	2024	46
125	TZR 125 RR	94>99	428 - 136	18-51	558 K	13÷18	2014	47•51•55•57
125	WR 125	99	520 - 112	13-48	564 K 564 KC	13•14 13•14	2015 EC 2015 C	47÷53 46•48÷50•52



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model Make and Model	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	
125 XT 125 - 2YE	88>90	428 - 120	14-53	263 K	14÷16	843	49÷51•53
125 XT 125 - 2YU	91>94	428 - 118	14-50	263 K	14÷16	843	49÷51•53
125 XV 125 Virago	97>00	520 - 114	13-47	4033 K	13	857 C	38÷42•45÷47•50
125 YZ 125	87>88	520 - 112	13-49	564 K 564 KC	13•14 13•14	853 EC 853 C 2045 C	48÷52 40•41 40÷42•44•46÷48•50
125 YZ 125	89>92	520 - 116	13-51	564 K 564 KC	13•14 13•14	853 EC 853 C 2045 C	48÷52 40•41 40÷42•44•46÷48•50
125 YZ 125	93>96	520 - 114	13-50	564 K 564 KC	13•14 13•14	853 EC 853 C 2045 C	48÷52 40•41 40÷42•44•46÷48•50
125 YZ 125	97>98	520 - 112	13-48	564 K 564 KC	13•14 13•14	853 EC 853 C 2045 C	48÷52 40•41 40÷42•44•46÷48•50
125 YZ 125	99>01	520 - 112	13-48	564 K 564 KC	13•14 13•14	2015 EC 2015 ESM 2015 C	47÷53 42÷46 46•48÷50•52
125 YZ 125	02>04	520 - 112	13-49	564 K 564 KC	13•14 13•14	2015 EC 2015 ESM 2015 C	47÷53 42÷46 46•48÷50•52
125 YZ 125	05>08	520 - 112	13-48	4050 K 4050 KC	12÷15 13•14	2015 EC 2015 ESM 2015 C	47÷53 42÷46 46•48÷50•52
175 DT 175 MX	80>85	428 - 118	15-49	416 K	12÷16	843	49÷51•53
200 DT 200 R - 2YY	89>93	520 - 108	13-43	564 K 564 KC	13•14 13•14	2045 C	40÷42•44•46÷48•50
200 TW 200, TW 200 C	87>94	428 - 126	14-50	4042 K	14	842	45•50•52
200 TW 200, TW 200 C	95 > 08	428 - 122	14-50	4042 K	14	842	45•50•52
200 WR 200 R	92>96	520 - 116	13-52	564 K 564 KC	13•14 13•14	853 EC 853 C 2045 C	48÷52 40•41 40÷42•44•46÷48•50
250 SR 250	86>96	520 100	14-40	572 K	14÷16	845 C	40•45•46
250 SR 250 SE	80>84	520 - 100	16-45	572 K	14÷16	845 C	40•45•46
250 SR 250 - 4GR1	91>96	520 100	16-46	572 K	14÷16	845 C	40•45•46
250 TDR 250 - 3CK/3CL	88>90	520 - 108	14-45	565 K 565 KC	11÷16 13÷15	846 C	37•39•41•45
250 TT 250 R	95>98	520 - 106	14-44	4026 K	14	2045 C	40÷42•44•46÷48•50
250 TZR 250 - 2MA/2XW	87>92	520 - 110	14-41	565 K 565 KC	11÷16 13÷15	846 C	37•39•41•45
250 WR 250 Z	97>98	520 - 114	14-48	569 K 569 KC	13÷17 14	853 EC 853 C 2045 C	48÷52 40•41 40÷42•44•46÷48•50
250 WR 250	99>00	520 - 114 520 - 114	14-50	565 K 565 KC	11÷16 13÷15	2015 EC 2015 C	47÷53 46•48÷50•52
250 WR 250 F	01>06	520 - 114 520 - 114	13-52	4050 K 4050 KC	12÷15 13•14	2015 EC 2015 ESM 2015 C	47÷53 42÷46 46•48÷50•52
250 WR 250 F	07>08	520 - 112 520 - 112	13-50	4050 K 4050 KC	12÷15 13•14	2015 EC 2015 ESM 2015 C	47÷53 42÷46 46•48÷50•52
250 XT 250	80>90	520 - 98	15-46	572 K	14÷16	845 C	40•45•46
250 XV 250 S Virago	89>00	520 - 114	16-45	572 K	14÷16	857 C	38÷42•45÷47•50
250 XV 250 S Virago	95>07	520 - 114	16-45	572 K	14÷16	857 C	38÷42•45÷47•50
250 YZ 250	85>86	520 - 114	14-50	569 K 569 KC	13÷17 14	853 EC 853 C 2045 C	48÷52 40•41 40÷42•44•46÷48•50
250 YZ 250	87>89	520 - 114	14-49	569 K 569 KC	13÷17 14	853 EC 853 C 2045 C	48÷52 40•41 40÷42•44•46÷48•50
250 YZ 250	90>93	520 - 114	14-51	569 K 569 KC	13÷17 14	853 EC 853 C 2045 C	48÷52 40•41 40÷42•44•46÷48•50
250 YZ 250	94>98	520 - 114	13-49	569 K 569 KC	13÷17 14	853 EC 853 C 2045 C	48÷52 40•41 40÷42•44•46÷48•50
250 YZ 250	99>01	520 - 114	14-50	565 K 565 KC	11÷16 13÷15	2015 EC 2015 ESM 2015 C	47÷53 42÷46 46•48÷50•52
250 YZ 250	02>05	520 - 114	14-49	565 K 565 KC	11÷16 13÷15	2015 EC 2015 ESM 2015 C	47÷53 42÷46 46•48÷50•52
250 YZ 250	06>08	520 - 114	14-50	565 SM	14•15	2015 SPE	Flangia corona - Spacer 4 mm
250 YZ 250	06>08	520 - 114	14-50	565 K	11÷16	2015 EC	47÷53



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	
				565 KC	13÷15	2015 ESM	42÷46
				565 SM	14*15	2015 C	46*48÷50*52
250 YZ 250 F	01>08	520 - 112	13-49	4050 K	12÷15	2015 EC	47÷53
				4050 KC	13*14	2015 ESM	42÷46
						2015 C	46*48÷50*52
350 RD 350 LC - 4LO	80>82	530 - 102	16-39	567 K	15*16	848 C	39
350 RD 350 LC YPVS	83>94	520 - 106	17-39	569 K	13÷17	846 C	37*39*41*45
				569 KC	14		
350 TT 350	86>95	520 - 108	14-50	575 K	14÷16	2045 C	40÷42*44*46÷48*50
350 XT 350 H/N - 55W/3YT	85>98	428 - 130	19-52	576 K	19	842	45*50*52
400 FZR 400 Genesis - 1WG	88	525 - 104	15-44	574 K	15	844 C	41*44
400 FZR 400 RR - HDX1/2	88>94	428 - 130	19-55	582 K	19*20	2014	47*51*55*57
400 FZR 400 RR Switzerland	91>94	428 - 130	20-55	582 K	19*20	2014	47*51*55*57
400 WR 400	98	520 - 114	14-50	565 K	11÷16	853 EC	48÷52
		520 - 114		565 KC	13÷15	853 C	40*41
						2045 C	40÷42*44*46÷48*50
400 WR 400	99>00	520 - 114	14-50	565 K	11÷16	2015 EC	47÷53
		520 - 114		565 KC	13÷15	2015 C	46*48÷50*52
400 WR 400-426 F	01>02	520 - 114	14-50	565 K	11÷16	2015 EC	47÷53
		520 - 114		565 KC	13÷15	2015 ESM	42÷46
						2015 C	46*48÷50*52
				565 SM	14*15	2015 SPE	Flangia corona - Spacer 4 mm
400 XJ 400	82	530 - 104	16-45	571 K	16*17	856 C	44*45
400 XS 400 Dohc	78>79	530 - 104	16-39	567 K	15*16	854 C	36*39*46
400 XS 400 SE (C/W)	80>83	530 - 102	16-36	567 K	15*16	854 C	36*39*46
400 XT 400	83>89	520 - 100	15-45	575 K	14÷16	857 C	38÷42*45÷47*50
400 YZ 400 F	98	520 - 114	14-49	569 K	13÷17	853 EC	48÷52
				569 KC	14	853 C	40*41
						2045 C	40÷42*44*46÷48*50
400 YZ 400	99	520 - 114	14-49	565 K	11÷16	2015 EC	47÷53
				565 KC	13÷15	2015 C	46*48÷50*52
426 WR 426 F	02>	520 - 114	14-50	565 K	11÷16	2015 EC	47÷53
		520 - 114		565 KC	13÷15	2015 ESM	42÷46
						2015 C	46*48÷50*52
				565 SM	14*15	2015 SPE	Flangia corona - Spacer 4 mm
426 YZ 426	00	520 - 114	14-50	565 K	11÷16	2015 EC	47÷53
				565 KC	13÷15	2015 C	46*48÷50*52
426 YZ 426 F	01>02	520 - 114	13-49	565 K	11÷16	2015 EC	47÷53
				565 KC	13÷15	2015 ESM	42÷46
						2015 C	46*48÷50*52
				565 SM	14*15	2015 SPE	Flangia corona - Spacer 4 mm
450 WR 450 F	03>04	520 - 112	14-47	565 K	11÷16	2015 EC	47÷53
				565 KC	13÷15	2015 ESM	42÷46
						2015 C	46*48÷50*52
				565 SM	14*15	2015 SPE	Flangia corona - Spacer 4 mm
450 WR 450 F	05>08	520 - 114	14-50	565 K	11÷16	2015 EC	47÷53
				565 KC	13÷15	2015 ESM	42÷46
						2015 C	46*48÷50*52
				565 SM	14*15	2015 SPE	Flangia corona - Spacer 4 mm
450 YZ 450 F	03>04	520 - 112	14-48	565 K	11÷16	2015 EC	47÷53
				565 KC	13÷15	2015 ESM	42÷46
						2015 C	46*48÷50*52
				565 SM	14*15	2015 SPE	Flangia corona - Spacer 4 mm
450 YZ 450 F	05	520 - 114	14-51	565 K	11÷16	2015 EC	47÷53
				565 KC	13÷15	2015 ESM	42÷46
						2015 C	46*48÷50*52
				565 SM	14*15	2015 SPE	Flangia corona - Spacer 4 mm
450 YZ 450 F	06>08	520 - 114	13-49	565 K	11÷16	2015 EC	47÷53
				565 KC	13÷15	2015 ESM	42÷46
						2015 C	46*48÷50*52
				565 SM	14*15	2015 SPE	Flangia corona - Spacer 4 mm
490 YZ 490	87>90	520 - 114	14-50	569 K	13÷17	853 EC	48÷52
				569 KC	14	853 C	40*41
						2045 C	40÷42*44*46÷48*50
500 RD 500 LC	84>87	530 - 102	15-38	579 K	15÷18	862 C	38*44*45
500 SR 500	78>90	530 - 104	16-42	566 K	14÷17	841 C	42
500 SR 500	91>00	428 - 130	20-55	582 K	19*20	851	55
500 XT 500	76>89	520 - 100	16-42	565 K	11÷16	2045 C	40÷42*44*46÷48*50
				565 KC	13÷15		
				566 K	14÷17	841 C	42
550 XJ 550 R	81>83	530 - 104	16-45	571 K	16*17	856 C	44*45
550 XT 550	82>83	520 - 98	15-39	575 K	14÷16	857 C	38÷42*45÷47*50
600 FZ 600	86>88	530 - 104	16-44	571 K	16*17	862 C	38*44*45



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	
600 FZR 600 C - 3RG/3RH	89>90	530 - 108	15-46	566 K	14÷17	865 C	39•43÷46•49
600 FZR 600 R - 4JH	94>97	530 - 108	15-47	566 K	14÷17	859 THF 859 C	38÷42•47•48 38÷42•47•48
600 FZS 600 Fazer	98>03	530 - 110	15-48	566 K	14÷17	859 THF 859 C	38÷42•47•48 38÷42•47•48
FZS 600 Fazer # 520		520 -		566 KM	14÷17	859 EMD	43÷45•48÷50
600 FZ6 600 Fazer / N-NS	04>08	530 - 118	16-46	580 K	16•17	479 THF 479 C 479 ED	39•42÷49 39•42÷48 43•44
FZ6 600 Fazer N / NS #520		520 -		584 KM	14÷17	479 EMD	41÷52 38•40÷42•44•45•47
600 SRX 600 C - 1XL/1XM	86>90	520 - 104	15-37	575 K	14÷16	846 C	37•39•41•45
600 TT 600	83>92	520 - 112	14-50	575 K	14÷16	2045 C	40÷42•44•46÷48•50
600 TT 600 E (96>00) - RE (04)		520 - 110	15-47	577 K	14•15	857 C	38÷42•45÷47•50
600 TT 600 R	97>01	520 - 110	15-44	577 K	14•15	2045 C	40÷42•44•46÷48•50
600 TT 600 S	93>95	520 - 110	15-44	577 K	14•15	2045 C	40÷42•44•46÷48•50
600 XJ 600 - 51H/51J	84>90	530 - 106	16-44	571 K	16•17	862 C	38•44•45
600 XJ 600	91>92	530 - 106	17-44	571 K	16•17	862 C	38•44•45
600 XJ 600 S/N Diversion	92>01	520 - 110	16-48	585 K	16	855 C	45•46•48
600 XJ 600 N	96>00	520 - 108	16-46	585 K	16	855 C	45•46•48
600 XT 600 4 Valv.	85>86	520 - 104	15-40	575 K	14÷16	857 C	38÷42•45÷47•50
600 XT 600 E	90>00	520 - 106	15-45	577 K	14•15	857 C	38÷42•45÷47•50
600 XT 600 KH/KN	87>94	520 - 102	15-39	577 K	14•15	857 C	38÷42•45÷47•50
600 XT 600 Ténéré	83>86	520 - 102	15-39	575 K	14÷16	857 C	38÷42•45÷47•50
600 XT 600 Z E 4 Valv.	87>90	520 - 104	15-40	577 K	14•15	857 C	38÷42•45÷47•50
600 YZF 600 R Thundercat	96>03	530 - 108	15-47	566 K	14÷17	859 THF 859 C	38÷42•47•48 38÷42•47•48
600 YZF 600 R6	99>02	532 - 116	16-48	584 K	15÷17	2053 THF 2053 C 2053 ED	46÷49 46•48•49 48
YZF 600 R6 #530		530 -		580 K	16•17	2097 THF	48•49 48•49
YZF 600 R6 #520		520 - 116		584 KM	14÷17	2053 EMD	45÷50
600 YZF 600 R6	03>05	532 - 116	16-48	584 K	15÷17	2090 THF 2090 C	48•49 48•49
YZF 600 R6 #530		530 -		580 K	16•17	479 THF	39•42÷49 479 C 479 ED 43•44
YZF 600 R6 #520		520 -		584 KM	14÷17	479 EMD	41÷52
600 YZF 600 R6	06>08	525 - 114	16-45	4074 K	15•16	2111 THF 2111 C	45•46 44÷46
YZF 600 R6 #520		520 -		4074 KM	15•16	479 EMD	41÷52
600 R46	05	532 - 116	16-48	584 K	15÷17	2090 THF 2090 C	48•49 48•49
R46 #530		530 -		580 K	16•17	479 THF	39•42÷49 479 C 479 ED 43•44
R46 #520		520 -		584 KM	14÷17	479 EMD	41÷52
650 XJ 650	86>90	530 - 104	17-33	568 K	17	850 C	33
650 XS 650 2 Cyl./SE - 3GS	75>83	530 - 104	17-33	568 K	17	850 C	33
660 MT-03	06>08	520 - 112	15-45	308	14•15	855 C	45•46•48
660 SZR 660	95>97	520 - 110	15-39	577 K	14•15	846 C	37•39•41•45
660 XTZ 660 H/N Ténéré - 3YF	90>95	520 - 110	15-45	577 K	14•15	857 C	38÷42•45÷47•50
660 XTZ 660 Ténéré	96>00	520 - 110	15-46	577 K	14•15	857 C	38÷42•45÷47•50
660 XTZ 660 Ténéré	08	520 - 110	-45			857 C	38÷42•45÷47•50
660 XT 660 R - X	04>08	520 - 110	15-45	308 K	14•15	855 C	45•46•48
750 FZ 750	85>86	530 - 110	16-44	580 K	16•17	865 C	39•43÷46•49
750 FZ 750 Genesis	87>91	530 - 110	16-43	580 K	16•17	865 C	39•43÷46•49
750 FZ 750	91>93	530 - 110	17-43	580 K	16•17	865 C	39•43÷46•49
750 FZR 750 R Genesis	88>89	530 - 110	17-42	580 K	16•17	859 THF 859 C	38÷42•47•48 38÷42•47•48
750 FZR 750 R OW-01	89>92	532 - 108	16-46	584 K	15÷17	866 THF 866 C	38•43•46•47 38•39•43•46•47
750 FZX 750	86>97	530 - 106	17-39	580 K	16•17	865 C	39•43÷46•49
750 XTZ Super Ténéré - 3LD	89>00	520 - 112	16-46	578 K	16	855 C	45•46•48
750 YZF 750 R/RC	93>99	532 - 106	16-43	584 K	15÷17	866 THF 866 C	38•43•46•47 38•39•43•46•47
750 YZF 750 R 7	99>00	530 - 118	17-42	580 K	16•17	859 THF 859 C	38÷42•47•48 38÷42•47•48
850 TDM 850 - 3VD	92>96	525 - 114	16-44	520 K	15÷17	867 THF 867 C	42÷44 42÷44
850 TDM 850 - 4TX2	96>98	525 - 114	17-42	4030 K	17	867 THF 867 C	42÷44 42÷44
850 TDM 850	99>01	525 - 114	16-43	520 K	15÷17	867 THF	42÷44



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>		Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levering
					T10-90-		T10-80-	
							867 C	42÷44
850	TRX 850	96>99	525 - 110	17-39	4030 K	17	300 C	39•42•43•47÷49
900	TDM 900	02>08	525 - 118	16-42	4055 K	15•16	300 C	39•42•43•47÷49
1000	FZR 1000 Genesis	87>88	532 - 110	16-46	584 K	15÷17	866 THF 866 C	38•43•46•47 38•39•43•46•47
1000	FZR 1000 EX-UP	89>97	532 - 110	17-47	584 K	15÷17	866 THF	38•43•46•47
	FZR 1000 EX-UP #530		530 -		580 K	16•17	859 THF 859 C	38÷42•47•48 38÷42•47•48
1000	FZS1000 Fazer, FZ1	00>05	530 - 116	16-44	579 K	15÷18	479 THF 479 C 479 ED	39•42÷49 39•42÷48 43•44
	FZS1000 Fazer, FZ1 #520		520 -		579 KM	15÷17	479 EMD	41÷52
1000	FZS1000 Fazer, FZ1	06>07	530 - 116	17-45	579 K	15÷18	479 THF 479 C 479 ED	39•42÷49 39•42÷48 43•44
	FZS1000 Fazer, FZ1 #520		520 -		579 KM	15÷17	479 EMD	41÷52
1000	GTS 1000 A-AC	93>99	532 - 118	17-47	584 K	15÷17	866 THF 866 C	38•43•46•47 38•39•43•46•47
	GTS 1000 A-AC #530		530 -		580 K	16•17	859 THF 859 C	38÷42•47•48 38÷42•47•48
1000	YZF 1000 R Thunderace	96>97	532 - 110	17-46	584 K	15÷17	866 THF	38•43•46•47
	YZF 1000 R Thunderace #530		530 -		580 K	16•17	859 THF	38÷42•47•48
1000	YZF 1000 R1	96>97	530 - 114	16-42	580 K	16•17	859 THF	38÷42•47•48
	YZF 1000 R1 #520		520 -		584 KM	14÷17	859 EMD	43÷45•48÷50
1000	YZF 1000 R1	98>03	530 - 114	16-43	579 K	15÷18	479 THF 479 C 479 ED	39•42÷49 39•42÷48 43•44
	YZF 1000 R1 #520		520 -		579 KM	15÷17	479 EMD	41÷52
1000	YZF 1000 R1	04>06	530 - 116	17-45	579 K	15÷18	479 THF 479 C 479 ED	39•42÷49 39•42÷48 43•44
	YZF 1000 R1 #520		520 -		579 KM	15÷17	479 EMD	41÷52
1000	YZF 1000 R1	07>08	530 - 118	17-45	579 K	15÷18	479 THF 479 C 479 ED	39•42÷49 39•42÷48 43•44
	YZF 1000 R1 #520		520 -		579 KM	15÷17	479 EMD	41÷52
1100	FJ 1100 L/N	84>85	530 - 110	17-41	579 K	15÷18	859 THF 859 C	38÷42•47•48 38÷42•47•48
1200	FJ 1200	86>90	530 - 110	17-40	579 K	15÷18	859 THF 859 C	38÷42•47•48 38÷42•47•48
1200	FJ 1200 A-C	91>95	530 - 110	17-39	579 K	15÷18	859 THF 859 C	38÷42•47•48 38÷42•47•48
1200	XJR 1200 SP	95>98	532 - 110	17-38	4025 K	17	866 THF	38•43•46•47
	XJR 1200 SP #530		530 -		579 K	15÷18	859 THF	38÷42•47•48
1300	XJR 1300	99>03	530 - 110	17-38	579 K	15÷18	859 THF	38÷42•47•48
1300	XJR 1300	04>06	530 - 112	18-39	579 K	15÷18	479 THF 479 C 479 ED	39•42÷49 39•42÷48 43•44
	XJR 1300 #520		520 -		579 KM	15÷17	479 EMD	41÷52
1300	XJR 1300	07>08	530 -	17-38	579 K	15÷18	479 THF 479 C 479 ED	39•42÷49 39•42÷48 43•44
	XJR 1300 #520		520 -		579 KM	15÷17	479 EMD	41÷52
1700	MT01	05>08	530 - 114	17-39	579 K	15÷18	479 THF	39•42÷49

KAWASAKI QUADS

400	KSF	03>	520 ERT 112	14 40	4072 K	13÷15	2114C	39÷41
-----	-----	-----	-------------	-------	--------	-------	-------	-------

HONDA QUADS

250	TRX 250R	86 - 92	520 ERT 86	13 - 39	4077 K	12÷14	2113C	38•39
300	TRX 300EX	93 - 04	520 ERT 86	13 - 38	4077 K	12÷14	2113C	38•39
400	TRX 400EX	99 - 04	520 ERT 92	15 - 38	4079 K	15•16	2113C	38•39
450	TRX 450R	04>	520 ERT	15 - 38	284 K	12÷15	2113C	38•39

POLARIS

250	Trial Blazer	00>03	520 ERT 76	11-36	4061 K	11÷13	2098 C	36•38•40
250	Xplorer	01>02	520 ERT 80	12-42	4061 K	11÷13	2098 C	36•38•40
400	Scrambler	00>	520 ERT 84	13-36	4061 K	11÷13	2098 C	36•38•40
400	Trial Blazer	03>	520 ERT 76	13-36	4061 K	11÷13	2098 C	36•38•40
425	Magnum 2X4	95>98	520 ERT 86	12-38	4061 K	11÷13	2098 C	36•38•40
500	Scrambler	00>	520 ERT 84	13-36	4061 K	11÷13	2098 C	36•38•40

SUZUKI QUADS

400	LTZ	03>	520 ERT 112	14 40	4072 K	13÷15	2114C	39÷41
-----	-----	-----	-------------	-------	--------	-------	-------	-------



CHIARAVALLI MOTORCYKEL KÆDEHJULS MONTERING

Mærke og model <i>Make and Model</i>	Årgang	Kæde type og længde	Std gearing	Kode for forkædehjul	Forkædehjul levring	Kode for bagkædehjul	Bagkædehjul levring
				T10-90-		T10-80-	

YAMAHA QUADS

200	YFS Blaster	88 - 00	520 ERT	13-40	4078 K	13	853 C	40*41
350	YZF Banshee	87>88	520 ERT 104	13-42	569 K 569 KC	13÷17 14	857 C	38÷42*45÷47*50
350	YZF Banshee	89>05	520 ERT 104	14-41	569 K 569 KC	13÷17 14	2045 C	40÷42*44*46÷48*50
350	YFM Warrior	87>88	520 ERT 100	13-40	569 K 569 KC	13÷17 14	857 C	38÷42*45÷47*50
350	YFM Warrior	89>05	520 ERT 98	13-40	569 K 569 KC	13÷17 14	2045 C	40÷42*44*46÷48*50
350	YFM Raptor	04>	520 ERT 98	13-38	569 K 569 KC	13÷17 14	2045 C	40÷42*44*46÷48*50
450	YFZ 450 S	04>	520 ERT	14-38	565 K 565 KC	11÷16 13÷15	857 C	38÷42*45÷47*50
660	YFM Raptor	00>05	520 ERT 92	13-40	565 K 565 KC	11÷16 13÷15	2045 C	40÷42*44*46÷48*50
700	YFM Raptor RV	06>	520 ERT	15 -	4080 K	15÷17	857 C	38÷42*45÷47*50

BST WHEELS

	76x100x5x10,5 #520		520				2067 E 2067ED	36÷47 35÷50
	76x100x5x10,5 #525		525				2094 ED	35÷47
	76x100x5x10,5 #530		530				2105 ED	39÷47

MARCHESINI WHEELS

	76x100x5x10,5 #520		520				2067 E 2067ED	36÷47 35÷50
	76x100x5x10,5 #525		525				2094 ED	35÷47
	76x100x5x10,5 #530		530				2105 ED	39÷47

MARVIC WHEELS

	80x100x6x10,5 #520		520				2100 E 2100 ED	41÷46 37÷46
--	--------------------	--	-----	--	--	--	-------------------	----------------

BLANKS

	1/2 x 1/4	r 7,75	420				1000 E	48÷53*55*56
	1/2 x 5/16	r 8,51	428				1001 E	46*48÷54*56*58*60
	5/8 x 1/4	r 10,16	520				1002 E	34÷54*58
	5/8 x 5/16	r 10,16	525				1004 E	35÷49
	5/8 x 3/8	r 10,16	530				1003 E	34÷50*52